INDEX TO KEW BULLETIN
Volume 51

Principal references are indicated † and illustrations *

Abies 190
Acacia: A new large-fruited variety of Acacia polyphylla (Leguminosae : Mimosoideae) from Brazil, G. P. Lewis 591
Acacia: Two new species of Acacia (Leguminosae - Mimosoideae) from Brazil, G. P. Lewis 371
Acacia 57, 149, 151, 248, 313, 371, 407-408, 410, 448, 529-532, 534, 537-539, 591, 776, 791
—— ser. *Vulgaris* 371, 372
—— subser. *Americanis Capitulatis* Benth. 371, 372
—— *ambigua* Vogel 371, 372
—— *bahiensis* Benth. 372, 375
—— *glomerosa* Benth. 591
—— *langsdorfii* Benth. 372, 375
—— *olivensana* G. P. Lewis †372, *374
—— *polyphylla* DC. 591
—— —— var. *giganticarpa* G. P. Lewis †591, *592, *594
—— *santosii* G. P. Lewis †371, *373
—— *senegal* 531
Acanthaceae: Notes on Brachystephanus (Acanthaceae), Estrela Figueiredo & Stephen L. Jury 753
Acanthaceae: Notes on Sri Lankan Acanthaceae, L. H. Cramer 553
Acanthaceae: Ruellia verbasciformis, a new combination in the genus Ruellia (Acanthaceae), Cecilia Ezcurra & Daniela Zappi 819
Acanthaceae: Systematic studies in the Acanthaceae. Dicliptera in southern Africa, Kevin Balkwill, Fiona Getliffe Norris & Mandy-Jane Balkwill 1
Acanthaceae 3, 5, 7, 10, 19, 21, 29, 553, 753
—— tribe *Justicieae* 1, 3, 7, 21
—— tribe *Ruellieae* Nees 819
—— subtribe *Diclipterinae* 1, 2, 3, *4, 7, 39, 44, 49
—— subtribe *Justiciinae* 7, 10
—— subtribe *Petalidiinae* 10
Acanthocarpus Lehm. 670, 671, 676
Ackerman, James D.: Orchid Flora of Puerto Rico and the Virgin Islands (Rev.) 209
Acronodia Blume 267, 268
—— *punctata* Blume 273
Acronozus Steud. 268
Acrospira Welw. ex Baker 670
Acrozus Spreng. 268
Additions and corrections to "Flora of the Cayman Islands", George R. Proctor 483
Adenanthos obovatus 170
Aeschynomene americana L. 493
—— *sensitiva* Sw. 493
Africa: Eriocaulon schimperi (Eriocaulaceae) and some related species in Eastern Africa, Sylvia M. Phillips 333
Africa: First record of the American Utricularia juncea from Africa, S. Dörrstock, R. Seine, S. Porembski & W. Barthlott 579
Africa: The genus Hildebrandtia (Convolvulaceae) from mainland Africa and Arabia, Sebsebe Demissew 525
Africa: Infraspecific variation in the African genus Margaretta (Asclepiadaceae: Asclepiadoideae), M. Mwanyambo 717
Africa: New combinations in African Sapindaceae, I. Friis, B. Verdcourt & K. Vollesen 802
Africa: New Polystachya species (Orchidaceae) from tropical West and South-central Africa, P. J. Cribb & I. la Croix 571
Africa: A new species of Angraecum (Orchidaceae) from South Central Africa, G. Williamson 557
Africa: A new species of Tylophora (Asclepiadaceae) from West Tropical Africa, Ulrich Meve 585
Africa: Some new African taxa of Eriocaulon, with notes on their systematic position, Sylvia M. Phillips 625
Africa: The Stachys aculeolata/aethiopica complex in tropical Africa, Y. B. Harvey 433
Africa: Systematic studies in the Acanthaceae. Dicliptera in southern Africa, Kevin Balkwill, Fiona Getliffe Norris & Mandy-Jane Balkwill 1
African: Notes on African Euphorbiaceae XXX: Phyllanthus (V) & c., A. Radcliffe-Smith 301
African: The tropical African genus Ancylanthos (Rubiaceae - Vanguerieae), D. M. Bridson 343
Afzelia 121
—— *bella* Harms 125, 130
—— *bipindensis* Harms 130
—— *quanzensis* Welw. 130
Agalinis kingsii Proctor 501
Aganonerion polymorphum auct. non Pierre ex Spire 476
Aganosma: A revision of Aganosma (Blume) G. Don (Apocynaceae), David J. Middleton 455
Aganosma (Blume) G. Don 455, †456, 457, 465, 467, 481
—— sect. *Amphineurion* A. DC. 455, 456
—— sect. *Amphyneurion* Boerl. 456
—— sect. *Meiadenia* A. DC. 455, 456
—— *acuminata* G. Don 469, 481
—— *affinis* G. Don 481
—— *apoensis* Elmer 481
—— *blumei* A. DC. 467, 478
—— —— auct. non A. DC. 464, 467
—— *breviloba* Kerr †457, *459, 460
—— *calycina* A. DC. 467, 478
—— *caryophyllata* auct. non G. Don 464
—— —— G. Don 455, 465, 467, 468, 478
—— *concanensis* Hook. 481
—— *conferta* G. Don 463
—— *cymosa* (Roxb.) G. Don †458, 462, 463, 467, 468
—— —— auct. non (Roxb.) G. Don 476
—— —— var. *conferta* (G. Don) Hook. f. 463
—— —— var. *cymosa* 457, †458, 460, *461
—— —— var. *elegans* (G. Don) Hook. f. 457, 458, 460, †462, 480
—— —— var. *fulva* Craib 458, 462
—— —— var. *glabra* A. DC. 458, 462
—— —— var. *lanceolata* Hook. f. 458, 462
—— *dichotoma* (Roth) K. Schum. 457, †464, 465, *466, 468, 478

Aganosma

Aganosma doniana Wight 463
—— *edithae* Hance 481
—— *elegans* G. Don 463, 480
—— *euloba* Miq. 471, 473
—— *gracilis* auct. non Hook. f.: Tsiang 457, †468, 469, †470, 471, 477
—— *grandiflora* Merr. 477, 478
—— *harmandiana* Pierre ex Spire 458, 462
—— *kwangsiensis* Tsiang 477, 478
—— —— var. *longilobata* Y. Wan ex C. Z. Gao 477
—— *lacei* Raizada 457
—— *laevigata* J. Graham 481
—— *laevis* Champ. ex Benth. 481
—— *macrocarpa* A. DC. 469
—— *marginata* (Roxb.) G. Don 455, 456, 457, †469, 472, 474, 475, 481
—— *montana* Kerr 476, 477
—— *navaillei* (Lév.) Tsiang 476
—— *odora* Tsiang 476, 477
—— *petelotii* Ly 481
—— *radiata* Merr. 476, 477
—— *romburghii* (Boerl.) Backer ex Tsiang 481
—— *roxburghii* auct. non G. Don: Wight 478
—— —— G. Don 464, 467, 468, 481
—— *schlecteriana* Lév. 457, 471, †476, 477
—— —— var. *breviloba* Tsiang 476
—— —— var. *leptantha* Tsiang 476, 477
—— *siamensis* Craib 457, †477, 478, 479
—— *velutina* A. DC. 471, 475
—— *wallichii* G. Don 455-457, 467, 468, †478, 479, 480
Agaricaceae 790
Agarics described from Cape Province, South Africa, D. N. Pegler 787
Agaricus subgen. *Agaricus* 791
—— sect. *Sanguinolentae* (Jul. Schäff. & F. H. Møller) Wasser 791
—— *caesariatus* Fr. 795
—— *griseovinaceus* A. Pearson ex Pegler *789, †790
—— *lividus* Speg. 791
—— *silvaticus* Schaeff. 791
Agathis 657
Agauria salicifolia 359, 361
Agavaceae 669-671, 678, 679
Agonis parviceps 170
Agrostocrinum F. Muell. 677, 678
Alania Endl. 676
Albizia 304, 591
Alchemilla 443
Alliaceae 667
—— tribe *Brodiaeeae* 669
Allophylus rhoidiphyllus Balf. f. 802
—— *rhusiphyllus* Balf. f. 802
—— *rubifolius* (A. Rich.) Engl. var. *alnifolius* (Baker) Friis & Vollesen 802
—— —— var. *rhusiphyllus* (Balf. f.) Friis & Vollesen †802
Alnus 188, 190
Aloaceae 777
Alocasia 64
—— *aequiloba* N. E. Br. 64
Aloe: The chemotaxonomic value of 10-hydroxyaloin B and its derivatives in Aloe series Asperifoliae Berger, A. M. Viljoen, B.-E. Van Wyk & E. Dagne 159
Aloe: The identity of the Massawa Aloe, Susan Carter, M. G. Gilbert & Sebsebe Demissew 775

Aloe

Aloe: New Aloe taxa in the Flora Zambesiaca area, Susan Carter 777
Aloe 159, 777, 779
—— ser. *Asperifoliae* Berger 159, 161-164, 166, 167
—— group *Saponariae* A. Berger 782
—— *argenticauda* Merm. & Giess. 159, 161-164, 166
—— *asperifolia* Berger 159, 161-166
—— *bullockii* Reynolds 779, 781
—— *carnea* S. Carter †784
—— *claviflora* Burch. 159, 161-166
—— *collina* S. Carter †781
—— *corallina* I. Verd. 159, 161-166
—— *dewinteri* Giess 159, 161-166
—— *dolomitica* Groenew. 48
—— *esculenta* L. C. Leach 159, 161, 162, 164
—— *eumassawana* S. Carter, M. G. Gilbert & Sebsebe †776
—— *falcata* Baker 159, 161-164, 166
—— *fimbrialis* S. Carter †779, *780, 781
—— *greatheadii* Schönland 784, 785
—— *hereroensis* Engl. 161, 162, 164, 167
—— *inyangensis* Christian 777, 779, 785
—— —— var. *kimberleyana* S. Carter †777, *778
—— *littoralis* 159-162, 164-167
—— *massawana* Reynolds 775, 776
—— —— sensu stricto 775
—— *menyharthii* Baker †782, 783, 784
—— —— subsp. *ensifolia* S. Carter †783
—— *namibensis* Giess 159, 161-167
—— *pachygaster* Dinter 159, 161-166
—— *richardsiae* Reynolds 779, 781
—— *saponaria* (Aiton) Haw. 781, 782
—— —— sensu Reynolds 781, 782
—— —— sensu West 781
—— *speciosa* 160
—— *swynnertonii* Rendle 781-783
—— —— sensu Reynolds 782
—— *viridiflora* Reynolds 159, 161, 162, 164, 167
Alternanthera sessilis (L.) R. Br. 490
Amaral, Maria C. E. & Bittrich, V.: Flower morphology and pollination biology of Clusia species from the Gran Sabana (Venezuela) 681
Amaranthaceae 490
Amaryllidaceae 746, 748, 750
American: First record of the American Utricularia juncea from Africa, S. Dörrstock, R. Seine, S. Porembski & W. Barthlott 579
Amherstia 131
Ammania coccinea Rottb. 495
Ampelocalamus: A new combination in Ampelocalamus and notes on A. patellaris (Gramineae: Bambusoideae), Dhe-Zu Li, C. M. A. Stapleton & Jia-Rong Xue 809
Ampelocalamus 809-811
—— *actinotrichus* 809
—— *calcareus* 809, 810
—— *luodianensis* 809
—— *mianningensis* (Q. Li & X. Jiang) D. Z. Li & Stapleton †811
—— *microphyllus* 809
—— *patellaris* (Gamble emend. Stapleton) Stapleton 809, 810, †811
—— *saxatilis* 809
—— *scandens* 809
—— *yongshanensis* 809
Amphineurion (A. DC.) Pichon 455, 456
—— *acuminata* (Roxb.) Pichon 469

Amphineurion

Amphineurion velutinum (A. DC.) Pichon 471
Anacardiaceae 498
Anacardium occidentale L. 498
Anadenanthera colubrina var. *cebil* 544
Anarthria scabra 170
Ancylanthos: The tropical African genus Ancylanthos (Rubiaceae - Vanguerieae), D. M. Bridson 343
Ancylanthos Desf. 343, 344, *345, 346, 347, †350, 352
—— *bainesii* Hiern 343, 350, 352
—— *cinerascens* Hiern 352
—— *cistifolius* Welw. ex Hiern 352
—— *ferrugineus* Welw. 350, 352
—— *fulgidus* Welw. ex Hiern 343, 350, 352
—— *lactiflorus* (Welw. ex Hiern) Robyns 344, *345, 346, 350, 352
—— *monteiroi* Oliv. 344, *345, 346, 348, 351, 352
—— *rhodesiacus* Tennant 344-346, 351, 352
—— *rogersii* (Wernham) Robyns 344, *345, 346, 347, 351, 352
—— *rubiginosa* Desf. 350
—— *rubiginosus* Desf. 343-346, †350, 352
—— *rufescens* E. A. Bruce 343, 352
—— sp. *1* White 351, 352
Andrographis Wall. ex Nees 554, 555
—— subgen. *Indoneesiella* (Sreem.) L. H. Cramer †555
—— *alata* (Vahl) Nees 554
—— *echioides* (L.) Nees 554, 555
—— *glandulosa* Nees 554
—— *lineata* Nees 554
—— *longipedunculata* (Sreem.) L. H. Cramer †555
—— *neesiana* Wight 554
—— *paniculata* (Burm. f.) Nees 554
—— —— Wall. ex Nees 555
—— *viscoscula* Nees 554
—— *wightiana* Arn. ex Nees 554
Anemarrhena Bunge 678, 679
Anemia adiantifolia (L.) Sw. 484
Anesorhiza abyssinica 244
Anginon Raf. 231
Angraecopsis cryptantha P. J. Cribb †361, *362, 363
—— *parviflora* (Thouars) Schltr. 361, 363
—— *tridens* (Lindl.) Schltr. 363
Angraecum: A new species of Angraecum (Orchidaceae) from South Central Africa, G. Williamson 557
Angraecum 559
—— sect. *Perrierangraecum* 557
—— *chimanimaniense* G. Williamson †557, *558, 559
—— *stella-africae* P. J. Cribb 557, 559
Anisotes Nees 3
Annesorhiza abyssinica A. Braun 244
—— *gossweileri* C. Norman 252
Anodendron affine (Hook. & Arn.) Druce 481
Anogeissus 529
Anthericaceae: New circumscriptions and a new family of asparagoid lilies: genera formerly included in Anthericaceae, Mark W. Chase, Paula J. Rudall & John G. Conran 667
Anthericaceae J. Agardh 667, 669, 670, 676, 678
—— sensu lato 667
—— sensu stricto 667, 669, 679
—— tribe *Boryeae* 676
—— tribe *Johnsonieae* 678
—— tribe *Sowerbaeeae* 671
Anthericeae 670

Anthericum

Anthericum L. 669, 670
Anthonotha 571
Antidesma 301
—— *rufescens* Tul. 301
Aphyllanthes 679
Apiaceae: A revision of the genus Heteromorpha (Apiaceae), P. J. D. Winter & B.-E. Van Wyk 225
Apiaceae 225, 229, 233, 236
—— subfam. *Apioideae* 225
—— tribe *Apieae* 225
—— subtribe *Carinae* 225
Apocynaceae: A revision of Aganosma (Blume) G. Don (Apocynaceae), David J. Middleton 455
Apocynaceae 455, 468, 499, 695-697, 706, 709, 710, 712
—— subfam. *Apocynoideae* 455
—— subfam. *Cerberoideae* 712
—— subfam. *Echitoideae* 455, 712
Apocynales 710
Apocyneae Juss. 705
Apocynum L. 695, 710
—— *cannabinum* L. 697, *704, 710
Aporusa acuminatissima Merr. 175
—— *merrilliana* Govaerts & Radcl.-Sm. 175
Arabia: The genus Dipcadi (Hyacinthaceae) in the Arabian Peninsula, Shahina A. Ghazanfar 803
Arabia: The genus Hildebrandtia (Convolvulaceae) from mainland Africa and Arabia, Sebsebe Demissew 525
Araceae: The genus Hapiline (Araceae: Aroideae: Caladieae), P. C. Boyce 63
Araceae: Pothos grandis (Araceae) – Corrections, Peter C. Boyce & Nguyen Van Dzu 392
Araceae 63, 64, 487
—— subfam. *Aroideae* sensu Grayum 65
—— subfam. —— sensu Mayo et al. 65
—— subfam. *Colocasioideae* 63-65
—— tribe *Areae* 65
—— tribe *Arisaemateae* sensu Mayo et al. 65
—— tribe *Caladieae* 63, 64
—— tribe *Colocasieae* 63, 64
—— subtribe *Hapilininae* Engl. 63
—— subtribe *Syngoninae* 63
Arachnodes chevalieri Gagnep. 175
Araliaceae 483, 499
Ariopsis Nimmo 64
Aristogeitonia: A second species of Aristogeitonia (Euphorbiaceae) for Tanzania, A. Radcliffe-Smith 799
Aristogeitonia Prain 799
—— *limonifolia* Prain 799
—— *magnistipula* Radcl.-Sm. *800, †801
—— *monophylla* Airy Shaw 799, 801
Aristolochiaceae: Thottea abrahamii a new species of Aristolochiaceae from Peninsular India, Mathew Dan, P. J. Mathew, C. M. Unnithan & P. Pushpangadan 179
Arnocrinum Endl. & Lehm. 677, 678
Arrhostoxylon Nees 820
Arthropodium R. Br 670, 671
Arundinaria megalothyrsa Hand.-Mazz. 565
Asclepiadaceae: Do Menabea venata & Secamonopsis madagascariensis represent missing links between Periplocaceae, Secamonoideae and Marsdenieae (Asclepiadaceae)?, Ralf Omlor 695
Asclepiadaceae: The identity of Secamone gabonensis P. T. Li (Asclepiadaceae), D. J. Goyder 774

Asclepiadaceae

Asclepiadaceae: Infraspecific variation in the African genus Margaretta (Asclepiadaceae: Asclepiadoideae), M. Mwanyambo 717
Asclepiadaceae: New combinations in Gomphocarpus R. Br. and Pachycarpus E. Mey. (Asclepiadaceae), D. J. Goyder 798
Asclepiadaceae: A new species of Tylophora (Asclepiadaceae) from West Tropical Africa, Ulrich Meve 585
Asclepiadaceae 500, 695-697, 699, 705, 709, 711, 712, 718, 798
—— sensu lato 696, 710, 719
—— subfam. *Asclepiadoideae* 696, 697, 707, 709-711
—— subfam. *Menabeoideae* 711
—— subfam. *Periplocoideae* 719
—— subfam. *Secamonoideae* 696, 697, 707-712
—— tribe *Marsdenieae* 696, 719
—— tribe *Secamoneae* 712
Asclepiadeae verae 706
Asclepiadeae 706
Asclepias L. 706
—— *curassavica* L. 706
—— *flavida* N. E. Br. 798
—— *phillipsiae* N. E. Br. 798
Asia: Taxonomic notes on Asiatic Chionanthus (Oleaceae), P. S. Green 765
Asphodelaceae 667, 669, 678
Asteliaceae 671
Aster exilis Elliott 503
—— *subulatus* Michx. var. *cubensis* (DC.) Shinners 503
Asteraceae 690
Astragalus alexandrii Kharadze 376
—— —— N. Ulziykh. 376
—— *ulziykhutagii* Sytin 376
Astronium urundeuva 544
Australia: Mitreola minima (Loganiaceae), a new species from Western Australia, Barry J. Conn 169
Azhakanandam, K., Ravichandran, P., Krishnan, S., Samson, N. P., Subbiah, V. R. & Narasimhan, D.: Eragrostis dayanandanii - a new grass from Tamil Nadu, India 155

Baikiaea 313, 315
—— *insignis* Benth. 121, 130
Balanites 537
Balkwill, Kevin, Getliffe Norris, Fiona & Balkwill, Mandy-Jane: Systematic studies in the Acanthaceae. Dicliptera in southern Africa 1
Balkwill, Mandy-Jane, Balkwill, Kevin & Getliffe Norris, Fiona: Systematic studies in the Acanthaceae. Dicliptera in southern Africa 1
Bambusa 565, 566
—— subgen. *Bonia* (Balansa) E. G. Camus 565, 567
—— *longispiculata* Brandis 565
—— *scandens* Blume 104
—— *tonkinensis* (Balansa) Baill. 568
Banara 492
—— *caymanensis* Proctor 483, †491
—— *minutiflora* (A. Rich.) Sleumer 492
Banksia attenuata 170
—— *ilicifolia* 170
Barlaea schizospora (W. Phillips) Sacc. 387
Barthlott, W., Dörrstock, S., Seine, R. & Porembski, S.: First record of the American Utricularia juncea from Africa 579
Bartlingia F. Muell. 670

Bauhinia

Bauhinia 121, 123, 125, 126, 130, 448, 497
—— *aculeata* L. 123, 125, 129
—— *acuminata* L. 123, 125, 129
—— *binata* Blanco 129
—— *blakeana* Dunn. 123, 129
—— *candicans* Benth. 123, 125, 129
—— cf. *commersoniana* Decne. 129
—— *corymbosa* Roxb. 123, 129
—— *divaricata* L. 123, 129, 497
—— *faberi* Oliv. 123, 129
—— *forficata* Link 123, 125, 129
—— *galpinii* N. E. Br. 123, 129
—— *glabra* Jacq. 129
—— *jenningsii* P. Wilson ex Britton 121, 123, 129
—— *macrantha* Oliv. 129
—— *monandra* Kurze 123, 129
—— *pentandra* (Bong.) Steud. 121, 123, 125, 127, 129
—— *rufa* (Bong.) Steud. 121, 123, 125, 129
—— *taitensis* Taub. 129
—— *thonningii* Schum. 125, 130
—— *tomentosa* L. 121, 123, 125, 130
Baumgratz, J. F. A., Souza, M. L. D. R., Woodgyer, E. M. & Nic Lughadha, E. M.: Polysporangiate anthers: described for the first time in Melastomataceae 133
Baxteria 671
Beaumontia 481
Beentje, H. J.: A new species of Ziziphus (Rhamnaceae) from Kenya 197
Beentje, Henk. *Reviewer*: Palms of Africa, by Paul Tuley 621
Befaria sprucei Meisn. 683
Behnia Didr. 676, 678
Beloglottis costaricensis (Rchb. f.) Schltr. 487
Bembea 343
Berberidaceae: Epimedium acuminatum and allied Chinese species (Berberidaceae), William T. Stearn 393
Berberidaceae: Epimedium campanulatum (Berberidaceae), a new Chinese spurless species from Sichuan, Mikinori Ogisu 401
Berberidaceae 402
Berlinia 121, 131
—— *coriacea* Keay 131
—— sp. aff. *craibiana* Baker f. 131
—— sp. aff. *exfoliatum* Baker f. 131
—— *grandiflora* (Vahl.) Hutch. & Dalziel 131
Betonica capensis Burm. f. 446
Betula 188, 190
Bignoniaceae 502
Bittrich, V. & Amaral, Maria C. E. : Flower morphology and pollination biology of Clusia species from the Gran Sabana (Venezuela) 681
Blutaparon vermiculare (L.) Mears 490
Bombus sp. 141
Bonia: A study of the genus Bonia (Gramineae : Bambusoideae), N. H. Xia 565
Bonia Balansa 565, 566, †567
—— *amplexicaulis* (L. C. Chia, H. L. Fung & Y. L. Yang) N. H. Xia 567, 568
—— *levigata* (L. C. Chia, H. L. Fung & Y. L. Yang) N. H. Xia 566, 567, †568
—— *saxatilis* (L. C. Chia, H. L. Fung & Y. L. Yang) N. H. Xia †567
—— *solida* (C. D. Chu & C. S. Chao) N. H. Xia 567, †568
—— *tonkinensis* Balansa 565-567, †568

Book Reviews

Book Reviews & Notices:-
Advances in Legume Systematics. Part 6. Structural Botany, by I. K. Ferguson & S. C. Tucker (Eds.) 419
Advances in Legume Systematics. Part 7. Phylogeny, by M. D. Crisp & J. J. Doyle (Eds.) 413
Ainsworth & Bisby's Dictionary of the Fungi, 8th edition, by D. L. Hawksworth, P. M. Kirk, B. C. Sutton & D. N. Pegler 822
Alien plants of the British Isles, by E. J. Clement, M. C. Foster & D. H. Kent 611
The Anther: Form, Function and Phylogeny, by W. G. D'Arcy & R. C. Keating (Eds.) 613
An Atlas of Orchid Pollination: European Orchids, by N. A. van der Cingel 826
Biodiversity and Conservation of Neotropical Montane Forests, by Steven P. Churchill, Henrik Balslev, Enrique Forero & James L. Luteyn 609
Catalogue of the Botanical Art Collection at the Hunt Institute. Part 6, Plant Portraits, Artists T - Z and Unknown, by James J. White (Compiler) & Elizabeth R. Smith (Assistant Compiler) 431
Concise Encyclopedia of Biology, by Thomas A. Scott (Translator & reviser) 832
Conspectus Florae Orientalis. An Annotated Catalogue of the Flora of the Middle East. Fascicle 9, by D. Heller & C. C. Heyn 831
The Desert Grassland, by Mitchel P. McClaren & Thomas R. Van Devender (Eds.) 832
The "El Cielo" Biosphere Reserve, Tamaulipas, Mexico: An Annotated Bibliography of the Botanical Literature, by John D. Perrine & David L. Gorchov 832
European Garden Flora Volume IV: Dicotyledones Part II Dilleniaceae to Leguminosae, by J. Cullen 821
A field guide to the families and genera of woody plants of Northwest South America, by Alwyn H. Gentry & Rodolfo Vasquez (Illustrator) 830
Flora de Manantlán, Sida Botanical Miscellany 13, by J. Antonio Vázquez G., G. Ramón Cuevas, Theodore S. Cochrane, Hugh H. Iltis, Francisco J. Santana M. & Luis Guzmán H. 828
Flora Malesiana Series 1 – Spermatophyta Volume 12 – part 1, 1995 Meliaceae, by D. J. Mabberley, C. M. Pannell & A. M. Sing 421
Flora of Aride Island, Seychelles, by Gillian E. Castle & Robert Mileto 209
Flora of Australia Volume 49: Oceanic Islands, by P. S. Green 212
Flora of Australia Volume 55: Lichens - Lecanorales 2, Parmeliaceae, by Anthony E. Orchard (Executive Ed.) 620
Flora of Chiapas, Part 4. Acanthaceae, by T. F. Daniel 612
Flora of Egypt Checklist, by Loutfy Boulos 829
Flora of the Pico das Almas. Chapada Diamantina, Bahia, Brazil, by B. L. Stannard (Ed.) 427
Flora of the Russian Arctic. Volume 1 Polypodiaceae - Gramineae, by A. L. Tolmachev (Russian Ed.), J. G. Packer (English Ed.) & G. C. D. Griffiths (Translator) 833
Florae Indicae Enumeratio: Monocotyledonae. Flora of India Series 4, by S. Karthikeyan, S. K. Jain, M. P. Nayar & M. Sanjappa 831
Flores Silvestres de Baleares, by Angel M. Romo 215
Flowering Plants and Ferns of the Tianshan Mountains of China, by F. Konta & T. Shimizu 623

Book Reviews

Fungi of South East England, by R. W. G. Dennis 210
Fungi on Rhododendron: A World Reference, by David Farr, H. Bartolome Esteban & Mary E. Palm 829
A Guide to Wildflowers in Winter. Herbaceous Plants of Northeastern North America, by Carol Levine 430
A Handbook of the Anglade Institute of Natural History, Shembaganur, by K. M. Matthew 431
Handlist of the Botanical Library, Liverpool Museum, by Y. Iles, H. Hofmann, P. Owen, S. Bird, G. Stark, S. Hallett (Compilers) & J. Edmondson (Ed.) 831
Hong Kong Ferns. Hong Kong Flora and Fauna Series, by M. L. So 217
Icones Pleurothallidinarum XI. Systematics of Lepanthes subgenus Brachycladium and Pleurothallis subgenus Aenigma, subgenus Elongata, subgenus Kraenzlinella. Monographs in Systematic Botany, by Carlyle A. Luer 214
An illustrated survey of Orchid genera, by Tom Sheehan & Marion Sheehan 426
8th International Exhibition of Botanical Art & Illustration, by James J. White, Autumn M. Farole & Sharon M. Tomasic 833
Introductory Mycology, by Purshotam Kaushik 623
James Bolton of Halifax, by John Edmondson 429
Legumes of Northern Eurasia. A checklist., by G. P. Yakovlev, A. K. Sytin & Yu. R. Roskov 622
Monocotyledons: Systematics & Evolution Volumes 1 & 2, by P. Rudall, P. J. Cribb, D. F. Cutler & C. J. Humphries 424
Native Orchids of Belize, by I. McLeish, N. R. Pearce & B. R. Adams 423
Die natürlichen Pflanzenfamilien ed. 2. band 17a IV Angiospermae: Ordnung Ranunculales Fam. Ranunculaceae, by P. Hiepko (Ed.), M. Tamura, H. Tobe, J. W. Nowicke, J. J. Skvarla, O. Pellmyr & R. Hegnauer (Authors) 419
A new key to wild flowers, by John Haywood 430
An Orchid Flora of Puerto Rico and the Virgin Islands, by James D. Ackerman 209
The Palms of Africa, by Paul Tuley 621
Plant Resources of South East Asia (PROSEA) No. 5 (1) Timber Trees: Major Commercial Timbers, by I. Soerianegara & R. H. M. J. Lemmens 218
Plant Resources of South East Asia No. 5 (2). Timber Trees: Minor Commercial Timbers, by R. H. M. J. Lemmens, I. Soerianegara & W.C. Wong 825
Plant Resources of South East Asia No. 7 Bamboos, by S. Dransfield & E. A. Widjaja (Eds.) 418
Plantes Vasculars del Quadrat UTM 31T DG08 Gréixer. Orca Catàlegs floristics locals 7, by Ignasi Soriano I Tomàs 431
Plants and their Names. A concise Dictionary, by Roger Hyam & Richard Pankhurst 213
Roses of Great Britain and Ireland. B.S.B.I. Handbook No. 7, by G. G. Graham & A. L. Primavesi 211
Russian Edition of The Herbarium Handbook, by D. Geltman (Ed.) 429
A Synonymized Checklist of the Vascular Flora of the United States, Canada and Greenland , by J. T. Kartesz 615
Text annotations and identification notes for Manual of the Vascular Flora of the Carolinas, by John D. Freeman 830

Book Reviews

Underground organs of herbaceous Angiosperms, by Tatemi Shimizu & Masayoshi Umebayashi 216

Boraginaceae 500
Borya Labill. 676
Boryaceae M. W. Chase, Rudall & Conran †676
Boscia 538
Boswellia 408, 529, 538
Bottingia 676
Bottionea Colla 670, 676
Boulos, Loutfy: Flora of Egypt Checklist (Notice) 829
Boyce, P. C.: The genus Hapiline (Araceae: Aroideae: Caladieae) 63
Boyce, Peter C. & Van Dzu, Nguyen: Pothos grandis (Araceae) - Corrections 392
Brachiaria 328
Brachystegia 131, 304, 322, 781, 783-785
—— *bakerana* 254
—— *boehmii* Taub. 131
—— *eurycoma* Harms 131
—— *fascifolia* Harms 131
—— *nigerica* Hoyle & A. P. D. Jones 131
—— *spiciformis* Benth. 131
—— *stipulata* De Wild. 131
Brachystephanus: Notes on Brachystephanus (Acanthaceae), Estrela Figueiredo & Stephen L. Jury 753
Brachystephanus Nees 753, 758
—— *africanus* S. Moore †753, 754-758
—— —— var. *africanus* 754, †755, 757
—— —— var. *brevicuspis* Mildbr. 755
—— —— var. *madagascariensis* E. Figueiredo 753, 754, †757
—— —— var. *velutinus* (De Wild.) E. Figueiredo 753, 754, †756
—— *bequaertii* De. Wild. 753, 755, 756
—— *densiflorus* E. Figueredo 753, †758, *759, 760
—— *holstii* Lindau 753, 760
—— *jaundensis* Lindau 753, 760
—— *longiflorus* Lindau 753, 761
—— *lyallii* Nees 753, 758, 760
—— *nemoralis* S. Moore 761
—— *occidentalis* Lindau 753, 761
—— *velutinus* De Wild. 755-757
Bradleia macrophylla Labill. 175
Brassavola nodosa (L.) Lindl. 489
Brazil: A new large-fruited variety of Acacia polyphylla (Leguminosae : Mimosoideae) from Brazil, G. P. Lewis 591
Brazil: A new Piranhea from Brazil, and the subsumption of the genus Celaenodendron (Euphorbiaceae - Oldfieldioideae), A. Radcliffe-Smith & J. A. Ratter 543
Brazil: Two new species of Acacia (Leguminosae - Mimosoideae) from Brazil, G. P. Lewis 371
Breteler, F. J.: Dichapetalum korupianum (Dichapetalaceae): a new species from the Korup National Park in Cameroun 201
Bridelia (Euphorbiaceae) in New Guinea with a description of a new species, S. Dressler 601
Bridelia Willd. 301, 601, 606
—— subgen. *Bridelia* 604, 605
—— subgen. *Gentilia* 604, 606
—— sect. *Scleroneurae* 604
—— sect. *Stipulares* 604
—— *angolensis* Welw. ex Müll. Arg. 303

Bridelia

Bridelia cathartica G. Bertol. 301, 302
—— —— subsp. *melanthesoides* (Baill.) J. Léonard 301
—— —— subsp. —— var. *lingelsheimii* (Gehrm.) Radcl.-Sm. †302
—— —— subsp. —— var. *melanthesoides* 302
—— —— subsp. —— var. —— f. *melanthesoides* 302
—— —— subsp. —— var. —— f. *pubescens* Radcl.-Sm †302
—— —— f. *fischeri* (Pax) Radcl.-Sm. †302
—— —— f. *niedenzui* (Gehrm.) Radcl.-Sm. †302
—— *erapensis* S. Dressler †601, 602, *603, 604, 607
—— *fischeri* Pax 302
—— —— var. *lingelsheimii* (Gehrm.) Hutch. 302
—— *glauca* Blume 604, †605, 606
—— *insulana* Hance 604, 606
—— *lingelsheimii* Gehrm. 302
—— *macrocarpa* Airy Shaw 601, 602, 605, 606
—— —— auct. non Airy Shaw 601
—— *melanthesoides* (Baill.) Klotzsch 302
—— *niedenzui* Gehrm. 302
—— —— var. *pilosa* Gehrm. 302
—— *oligandra* 604
—— *oligantha* 607
—— *ovata* auct. non Decne. 601
—— *penangiana* Hook. f. 604
—— *scleroneura* Müll. Arg. †303
—— —— subsp. *angolensis* (Welw. ex Müll. Arg.) Radcl.-Sm. †303
—— *stipularis* (L.) Blume 602, 604
—— *tomentosa* 605, 607
—— *triplocarya* Airy Shaw 601, 602, 605, 607
Bridson, D. M.: The tropical African genus Ancylanthos (Rubiaceae - Vanguerieae) 343
British: Geopora sepulta (Pezizales) in Britain, with a key to British species of the genus, Y.-J. Yao & B. M. Spooner 381
British: Notes on British species of Tympanis (Leotiales) with T. prunicola new to Britain, Y.-J. Yao & B. M. Spooner 187
British: Notes on Sphaerosporella (Pezizales), with reference to British records, Y.-J. Yao & B. M. Spooner 385
Brodriguesia santosii Cowan 121, 130
Bromeliaceae 486, 582
Brownea 121, 123, 131
—— × *crawfordii* W. Watson 121, 125, 131
Brummitt, R. K. *Reviewer*: Synonymized Checklist of the Vascular Flora of the United States, Canada and Greenland, by J. T. Kartesz 615
Bumelia 493
—— *glomerata* 493
Bupleurum angolense C. Norman 253
—— *arborescens* auct. non Jacq. 240
—— —— Jacq. 240
—— *collinum* (Eckl. & Zeyh.) D. Dietr. 242
—— *trifoliata* H. L. Wendl. 244
Buprestis arborescens Spreng. 238
Byrsonima sp. 683

Cactaceae 490, 582
Caesalpinia: Notes on Stuhlmannia Taub. and the correct placement of Caesalpinia insolita (Leguminosae - Caesalpinioideae - Caesalpinieae, G. P. Lewis 377
Caesalpinia L. 125, 377
—— *bonduc* 494

Caesalpinia
Caesalpinia bonduc (L.) Roxb. var. *caymanensis* (Millsp.) Proctor 483, 494
—— *caymanensis* Millsp. 494
—— *dalei* Brenan & J. B. Gillett 377, 378
—— *insolita* (Harms) Brenan & J. B. Gillett 377, 378
Caesia R. Br. 677, 678
Caladium Vent. 63, 64
Calamus hookerianus Becc. 181
Calectasia 671
Calliandra myriophylla 544
Calyptranthes 816
—— *bullata* (Salisb.) DC. 816
Cameroun: Dichapetalum korupianum (Dichapetalaceae): a new species from the Korup National Park in Cameroun, F. J. Breteler 201
Camptocarpus 708, 709
—— *linearis* Decne. 696, 697, *698, 703, *704, 708-710
Camptosema Hook. & Arn. 370
Canavalia 369
Canthium dunlapii 359
Capparis indica (L.) Fawc. & Rendle 384
—— *odoratissima* Jacq. 384
Caraxeron vermicularis (L.) Raf. 490
Carex 443
Carissa edulis 147
Carter, Susan: New Aloe taxa in the Flora Zambesiaca area 777
Carter, Susan, Gilbert, M. G. & Sebsebe Demissew: The identity of the Massawa Aloe 775
Cassia 494
—— *biflora* L. 494
—— *clarensis* (Britton) Howard 495
—— *ligustrina* L. 494
—— *nictitans* (L.) Greene var. *aspera* (Muhl. ex Eliott) Torr. & Gray 495
—— *obtusifolia* L. 494
—— *occidentalis* L. 494
—— *uniflora* Mill. 494
Castle, Gillian E. & Mileto, Robert: Flora of Aride Island, Seychelles (Rev.) 209
Catalpa longissima (Jacq.) Dum. Cours. 502
Caucasus: Taxonomic status of three Caucasian snowdrops: Galanthus alpinus Sosn., G. bortkewitschianus Koss and G. caucasicus (Baker) Grossh., A. P. Davis, H. Mordak & S. L. Jury 741
Cavanillesia umbellata 544
Cayman Islands: Additions and corrections to "Flora of the Cayman Islands", George R. Proctor 483
Cecchia somalensis Chiov. 304
Cedrus 383
Celaenodendron: A new Piranhea from Brazil, and the subsumption of the genus Celaenodendron (Euphorbiaceae - Oldfieldioideae), A. Radcliffe-Smith & J. A. Ratter 543
Celaenodendron 546
—— *mexicanum* Standl. 546
Cercis 121, 123
—— *chinensis* Bunge 121, 125, 129
—— *griffithii* Boiss. 129
—— *occidentalis* Torr. ex A. Gray 129
—— *siliquastrum* L. 125, 129
Chaetostoma 133, 134, 138, 140-142
—— *luetzelburgii* Markgr. *135, 136, 138, 140
—— *parvulum* Markgr. 136, 138, 140
—— *pungens* DC. *135, 136, 140
—— cf. *trauninense* Cogn. 136, 140

Chamaecrista
Chamaecrista 494
—— *lineata* (Sw.) Greene 495
—— —— var. *lineata* 495
—— *nictitans* (L.) Moench subsp. *nictitans* var. *aspera* (Muhl. ex Elliott) Torr. & Gray 495
Chamaescilla F. Muell. ex Benth. 670, 671, 676
—— *corymbosa* 669, *675
Chamaesyce 542
—— *linguiformis* (McVaugh) McVaugh var. *actinadenia* McVaugh 542
—— *salsuginosa* McVaugh 542
Chamaexeros Benth. 670, 671, 676
—— *serra* 669, *674
Chase, Mark W., Rudall, Paula J. & Conran, John G.: New circumscriptions and a new family of asparagoid lilies: genera formerly included in Anthericaceae 667
Cheek, Martin: The identity of Naregamia Wight & Arn. (Meliaceae) 716
The chemotaxonomic value of 10-hydroxyaloin B and its derivatives in Aloe series Asperifoliae Berger, A. M. Viljoen, B.-E. Van Wyk & E. Dagne 159
Chimonobambusa 810
—— *jainiana* C. R. Das & D. C. Pal 811
Chimonocalamus 810
Chinese: Epimedium acuminatum and allied Chinese species (Berberidaceae), William T. Stearn 393
Chinese: Epimedium campanulatum (Berberidaceae), a new Chinese spurless species from Sichuan, Mikinori Ogisu 401
Chionanthus: Taxonomic notes on Asiatic Chionanthus (Oleaceae), P. S. Green 765
Chionanthus 768, 769
—— *amblirrhinus* P. S. Green †765
—— *burmanicus* Panigrahi 768
—— —— var. *acuminatus* 768
—— *callophyllus* Blume 766
—— *caudatus* (Collett & Hemsl.) Bahadur & R. C. Gaur 768
—— *caudifolius* (Ridl.) Kiew 768
—— *caymanensis* Stearn 501
—— —— var. *caymanensis* 501
—— —— var. *longipetala* Proctor 483, †501
—— *decipiens* P. S. Green †766
—— *eriorachis* (Kerr) P. S. Green 766
—— *lancifolius* (Ridl.) Kiew 769
—— *linocieroides* (Wight) Bennet & Raizada 767
—— *mala-elengi* (Dennst.) P. S. Green 767
—— —— subsp. *linocieroides* (Wight) P. S. Green †767
—— —— subsp. *mala-elengi* †767
—— —— subsp. *terniflorus* (Wall. ex G. Don) P. S. Green †767, 768
—— *malabaricus* (Wall. ex G. Don) Bedd. 767
—— *microbotrys* (Kerr) P. S. Green 765, †768
—— *microstigma* (Gagnep.) P. S. Green 768, 769
—— *sutepensis* (Kerr) P. S. Green 769
—— *terniflorus* Griff. 768
—— —— var. *acuminatus* (Wall. ex DC.) Bahadur & R. C. Gaur 768
—— *thorelii* (Gagnep.) P. S. Green 769
—— *velutinus* (Kerr) P. S. Green †770
—— *wightii* (C. B. Clarke) Bahadur & R. C. Gaur 767
Chloris 328
Chlorogalum 678

Chlorophytum

Chlorophytum Ker Gawl. 669, 670
Chonemorpha 455
—— *cristata* (Roth) G. Don 475
—— *dichotoma* G. Don 464
Christia vespertilionis (L. f.) Bakh. f. 493
Chrysopogon fulvus (Spreng.) Chiov. 155
Churchill, Steven P., Balslev, Henrik, Forero, Enrique & Luteyn, James L.: Biodiversity and Conservation of Neotropical Montane Forests (Rev.) 609
Ciliaria brunnea (Alb. & Schwein.) Boud. 387
—— *confusa* (Cooke) Boud. 387, 388
—— *hinnulea* (Berk. & Broome) Boud. 387
—— *phillipsii* (Massee) Boud. 389
—— *schizospora* (W. Phillips) Boud. 387
Cionosicyos excisus (Griseb.) C. Jeffrey 492
—— *pomiformis* Griseb. 492
Cissus sicyoides L. 498
—— *verticillata* (L.) Nicolson & Jarvis 498
Cladostigma: The genus Cladostigma (Convolvulaceae), Sebsebe Demissew 405
Cladostigma Radlk. †405, 406
—— *dioicum* Radlk. 405, †406, 407, *409
—— *hildebrandtioides* Hallier f. 405, 406, †408, *409, 410, 411
—— *nigistiae* Sebsebe 405, 406, *409, †410, 411
Cleistanthus 303
—— *apetalus* S. Moore 303
—— *milleri* Dunkley 303
—— *polystachyus* Planch. 303
—— —— subsp. *milleri* (Dunkley) Radcl.-Sm. †303
Clement, E. J., Foster, M. C. & Kent, D. H.: Alien plants of the British Isles (Rev.) 611
Clinopodium L. 31
Clusia: Flower morphology and pollination biology of Clusia species from the Gran Sabana (Venezuela), V. Bittrich & Maria C. E. Amaral 681
Clusia L. 681-683, 685, 687, 688, 690-692
—— sect. *Anandrogyne* Planch. & Triana 682
—— sect. *Chlamydoclusia* Engl. 692
—— sect. *Clusiastrum* Planch. & Triana emend. Maguire 682, *689, 690, 692
—— sect. *Cordylandra* Planch. & Triana 687, 692
—— sect. *Criuva* Planch. & Triana 681, 691, 692
—— sect. *Omphalanthera* Planch. & Triana 688
—— sect. *Polythecandra* (Planch. & Triana) Vesque 683
—— *columnaris* Engl. 682, 688, *689, 692
—— *criuva* Cambess. 691
—— *intermedia* G. Mariz 682
—— *minor* L. 685, 692
—— *nemorosa* G. Mey. 685, 692
—— *pusilla* Steyerm. 682, *689, 690, 691
—— *schomburgkiana* (Planch. & Triana) Engl. 682, 683, *684, 685, *686, 687, 692
—— *scrobiculata* Benoist 692
—— sp. 682, *689, 690, 691
Clusiaceae 681
—— tribe *Clusieae* Choisy 681, 692
—— tribe *Clusielleae* 681
Clusiella Planch. & Triana 681
Cobaea scandens 820
Cohnia Kunth 670, 671
Collaea DC. 370
Colocasia Schott 64, 65
Colubrina arborescens (Mill.) Sarg. 497
—— *cubensis* 497
Combretaceae 483, 496

Combretum

Combretum 408, 539
—— *duarteanum* 544
Commiphora 408, 410, 529-531, 534, 537-539
—— *leptophloeos* 544
Comospermum Rauschert 678
Compositae 503
—— tribe *Cichorieae* 504
Conn, Barry J.: Mitreola minima (Loganiaceae), a new species from Western Australia 169
Conn, Barry. *Reviewer.* Flora of Australia Volume 49: Oceanic Islands, by P. S. Green 212
Conran, John G., Chase, Mark W. & Rudall, Paula J.: New circumscriptions and a new family of asparagoid lilies: genera formerly included in Anthericaceae 667
Convallariaceae 676, 678
Convolvulaceae: The genus Cladostigma (Convolvulaceae), Sebsebe Demissew 405
Convolvulaceae: The genus Hildebrandtia (Convolvulaceae) from mainland Africa and Arabia, Sebsebe Demissew 525
Convolvulaceae 500
Coode, M. J. E.: Elaeocarpus for Flora Malesiana – notes, new taxa and combinations in sect. Elaeocarpus: 2 83
Coode, M. J. E.: Elaeocarpus for Flora Malesiana – notes, new taxa and combinations in the Acronodia group 267
Coode, M. J. E.: Elaeocarpus for Flora Malesiana: the 'Polystachyus' group 649
Copaifera langsdorfii 130
—— sp. 130
Coprinaceae 791
Cordeauxia Hemsl. 377, 378
—— *edulis* Hemsl. 378
Cordia dentata Poir. 500
—— *laevigata* Lam. 501
Cordyline Comm. ex R. Br. 670, 671, 676
—— *cannifolia* 669, *673
—— *stricta* 669
Cornus 190
Cortinariaceae 793
Corymborkis 355, 357
—— *corymbis* Thouars 355, 357
—— *minima* P. J. Cribb †355, *356, 357, 363
Corynotheca F. Muell. ex Benth. 677, 678
Costus speciosus Sm. 181
Craibia 304
Cramer, L. H.: Notes on Sri Lankan Acanthaceae 553
Crassocephalum 359
Crataegus 190
Cribb, P. J.: A new name for a Moluccan species of Dendrobium Sw. (Orchidaceae) 380
Cribb, P. J.: New species and records of Orchidaceae from West Africa 353
Cribb, P. J. & la Croix, I.: New Polystachya species (Orchidaceae) from tropical West and South-central Africa 571
Cribb, P. J. & Thomas, S.: New species of Habenaria (Orchidaceae) from Ethiopia 145
Cribb, Phillip. *Reviewer.* Icones Pleurothallidinarum XI. Systematics of Lepanthes subgenus Brachycladium and Pleurothallis subgenus Aenigma, subgenus Elongata, subgenus Kraenzlinella. Monographs in Systematic Botany, by Carlyle A. Luer 214
Cribbia 361

Cribbia

Cribbia brachyceras Summerh. 359, 361
—— *confusa* P. J. Cribb †359, *360, 361
Crisp, M. D. & Doyle, J. J. (Eds.): Advances in Legume Systematics. Part 7. Phylogeny (Rev.) 413
Crossandra axillaris Nees 554
—— *crocea* S. Moore 554
—— *infundibuliformis* (L.) Nees 553, †554
—— —— subsp. *arida* L. H. Cramer 553, 554
—— —— subsp. *axillaris* (Nees) L. H. Cramer 553, †554
—— —— subsp. *bonanensis* 553
—— —— subsp. *brachystachya* 553
—— —— subsp. *crocea* (S. Moore) Napper 553, 554
—— —— subsp. *eglandulosa* 553
—— —— var. *axillaris* (Nees) Trimen 554
—— —— var. *crocea* Trimen 554
Croton 303
—— *longipedicellatus* J. Léonard 303
—— —— var. *glabrescens* Radcl.-Sm. †304
Cruciferae 492
Cryptolepis elegans Wall. ex G. Don 481
Cryptostegia grandiflora R. Br. 708
Cucurbitaceae 492
Cullen, J.: European Garden Flora Volume IV: Dicotyledones Part II Dilleniaceae to Leguminosae (Rev.) 821
Cyathogyne 331
—— *bussei* Pax 330
Cyclopogon cranichoides (Griseb.) Schltr. 488
—— *elatus* (Sw.) Schltr. 488
Cynanchum 500
—— *angustifolium* Pers. 500
—— *picardae* (Schltr.) Jiménez 500
Cynometra carvalhoi Harms (Leguminosae : Caesalpinioideae) rediscovered, G. P. Lewis 595
Cynometra L. 130, 304, 595, 596
—— *alexandri* C. H. Wright 130
—— *carvalhoi* Harms 595, 596, †597, *598
Cyperaceae: A new species of Kyllinga (Cyperaceae) from Kenya, D. A. Simpson & A. M. Muasya 183
Cyperaceae: New taxa and combinations in Mapania (Cyperaceae) from South America, D. A. Simpson 729
Cyperaceae 486, 580, 690
—— tribe *Hypolytreae* 729, 730
—— tribe *Mapanieae* 729
Cyperus: New species of Cyperus subgenus Bulbocaulis (Cyperaceae) from Somalia, Kåre Arnstein Lye 205
Cyperus L. 205
—— *amauropus* Steud. 205
—— *leptophyllus* Hochst. 205
—— *mudusaeus* Chiov. 205
—— *ossicaulis* Lye †205, *206
Cyrtopodium punctatum (L.) Lindl. 488

D'Arcy, W.G. & Keating, R. C. (Eds.): Anther: Form, Function and Phylogeny (Rev.) 613
Dagne, E., Viljoen, A. M. & Van Wyk, B.-E.: The chemotaxonomic value of 10-hydroxyaloin B and its derivatives in Aloe series Asperifoliae Berger 159
Dalechampia L. 681
Dan, Mathew, Mathew, P. J., Unnithan, C. M. & Pushpangadan, P.: Thottea abrahamii a new species of Aristolochiaceae from Peninsular India 179
Daniel, T. F.: Flora of Chiapas, Part 4. Acanthaceae. (Rev.) 612

Daniellia

Daniellia 121
—— *ogea* (Harms) Holland 130
Dasypogon 671
—— *bromeliifolius* 170
Dasystachys Baker 670
Davis, A. P., Mordak, H. & Jury, S. L.: Taxonomic status of three Caucasian snowdrops: Galanthus alpinus Sosn., G. bortkewitschianus Koss and G. caucasicus (Baker) Grossh. 741
Debesia Kuntze 670
Decaphalangium Melch. 691
Delonix 529
Dendrobium: A new name for a Moluccan species of Dendrobium Sw. (Orchidaceae), P. J. Cribb 380
Dendrobium sect. *Spathulata* 380
—— *brevimentum* P. J. Cribb 380
—— —— Seidenf. 380
—— *militare* P. J. Cribb 380
Dendrocalamus 809
—— *hamiltonii* 809
—— *mianningensis* Q. Li & X. Jiang 810, 812
—— *patellaris* Gamble 809-811
Dendropanax arboreus (L.) Decne. & Planch. 499
Dendrophylax fawcettii 488
Dennis, R. W. G.: Fungi of South East England (Rev.) 210
Derris: The distribution of the little-known and rare Derris ovalifolia (Leguminosae : Papilionoideae) extended, K. M. Matthew 561
Derris ovalifolia (Wight & Arn.) Benth. †561, *563
The designation of a lectotype for a cultivated potato species, Solanum goniocalyx Juz. & Bukasov, Ludmilla Gorbatenko & John Hawkes 552
Detarium 130
Dialium orientale Baker f. 128
Diamina Ravenna 669, 670
Dianella Lam. 677, 678
Diapedium C. W. Köning 12, 19
—— *clinopodium* Kuntze var. *minor* S. Moore 29
Dichapetalaceae 201
Dichapetalum korupianum (Dichapetalaceae): a new species from the Korup National Park in Cameroun, F. J. Breteler 201
Dichapetalum insigne 203
—— *korupinum* Breteler †201, *202, 203
—— *letouzeyi* Breteler 201
—— *montanum* Breteler 201, 203
Dichobotrys Hennebert 385
Dichopogon Kunth 670, 671
—— *strictus* 669, 673
Dichrostachys 57
Dicliptera: Systematic studies in the Acanthaceae. Dicliptera in southern Africa, Kevin Balkwill, Fiona Getliffe Norris & Mandy-Jane Balkwill 1
Dicliptera Juss. 1, 2, 3, 5, *6, 7, *9, 10, *11, †12, 19, 26, 29, 36, *40, 49, *52
—— *burmannii* Nees 27
—— *capensis* Nees 3, 7, 12, 19, 23, †27, 29
—— *carvalhoi* Lindau 31
—— *chinensis* (L.) Juss. 1, 10, 12, 19
—— *ciliaris* Juss. 27
—— *clinopodia* Nees 2, 3, 5, 7, 10, *11, 12, 20, 27, †29, 31, 32, *33, 35, 36, 39, 41, 43
—— —— sensu Willman 42
—— —— f. *A* †32, *33, 34, 35
—— —— f. *B* 32, *33, †34, 35
—— —— f. *C* 32, †34, 35, 38

Dicliptera

Dicliptera divaricata Compton 3, 12, 21, 31, †35, 36, 38, 45
—— *eenii* S. Moore 2, 3, 5, 7, 12, 20, 31, 32, 42, 44, †46, 47, 50
—— *elegans* W. W. Sm. 23
—— *extenta* S. Moore 2, 3, *4, 5, *6, 7, 10, 12, 19, †21, 22, 23, 27, 29
—— *fionae* K. Balkwill 2, 3, 5, *6, 20, 31, 32, †48, 49
—— *foetida* 27
—— *fruticosa* K. Balkwill 2, 3, 5, 20, 31, 32, 39, 46, †49, 50
—— *glabra* Decne. 27
—— *grandiflora* Gilli 23
—— *heterostegia* Nees 3, 5, *6, 7, 10, *11, 12, 20, 22, 23, †24, 27, 29
—— *hirta* K. Balkwill *6, 7, 12, 20, 31, 32, †50, 51, *52, 53
—— *insignis* Mildbr. 27
—— *javonica* Nees 27
—— *leistneri* K. Balkwill 3, 12, 20, 31, *40, †42, 43, 44
—— *leonotis* Dalzell ex C. B. Clarke 31
—— *lingulata* C. B. Clarke 53
—— *maculata* Nees 50, 53
—— —— sensu C. B. Clarke 51, 53
—— —— Hochst. var. *panicularis* Nees 53
—— *magaliesbergensis* K. Balkwill 3, 12, 20, 31, †39, *40, 41, 42
—— *micranthes* Nees 59
—— *minor* C. B. Clarke 2, 3, 5, 12, 31, 36, †37, 38, 39, 46-48
—— —— subsp. *minor* 3, 12, 21, 36, †37, 38, 39
—— —— subsp. *pratis-manna* K. Balkwill 3, 12, 21, 36, 37, †38, 39, *40, 43, 44
—— *mossambicensis* Klotzsch 25, 27
—— *nobilis* 31
—— *olitoria* Mildbr. 31
—— *propinqua* Nees 27, 29
—— *quintasii* Lindau 3, 21, 31, 32, †44, 45
—— *silvicola* Lindau 27
—— *spinulosa* Hochst. ex K. Balkwill 2, 3, 12, 20, 31, *52, 53, 57, 59
—— *swynnertonii* S. Moore 5, 20, †24, 27
—— *umbellata* Juss. 31
—— *verticillata* (Forssk.) C. Chr. 53, 59
—— *zeylanica* Nees 21
—— —— sensu C. B. Clarke 21, 22
Digitaria horizontalis Willd. 486
—— *setigera* Roth ex Roem. & Schult. 486
Dimorphandra 125
Dinochloa: New species of Dinochloa (Gramineae - Bambusoideae) in Malesia and notes on the genus, Soejatmi Dransfield 103
Dinochloa Büse 103, 104, 106, 108, 113, 115
—— *barbata* S. Dransf. †115, *116
—— *cordata* S. Dransf. *107, †108
—— *dielsiana* Pilg. 106, 108
—— *hirsuta* S. Dransf. *114, †115
—— *kostermansiana* S. Dransf. †108, *109, 110
—— *malayana* S. Dransf. 104, †110, *111, 113
—— *oblonga* S. Dransf. *112, †113
—— *palawanensis* (Gamble) S. Dransf. *105, †106, 108
—— *robusta* S. Dransf. 104
—— *scandens* (Blume) Kuntze †104, 110, 113
—— *sublaevigata* S. Dransf. 108
—— *tjankorreh* (Schultes) Büse 104
—— *trichogona* S. Dransf. 115, 117

Dioclea

Dioclea Kunth 365, 367, 369, 370
—— sect. *Dioclea* 369
—— sect. *Macrocarpon* Amshoff 367
—— sect. *Pachylobium* Benth. 369
—— sect. *Platylobium* Benth. 369
—— *boykinii* A. Gray ex S. Wats. 366
—— *macrocarpa* Huber 367
—— *multiflora* (Torr. & A. Gray) Mohr 365, 366
Diora Ravenna 669, 670
Diospyros 530
Dipcadi: The genus Dipcadi (Hyacinthaceae) in the Arabian Peninsula, Shahina A. Ghazanfar 803
Dipcadi Medik. 803
—— *biflorum* Ghaz. 803, *804, †805, 806
—— *erythraeum* Webb & Berthel. 806
—— *serotinum* (L.) Medik. 803, *804, 805, 806
—— *unicolor* (Stocks) Baker 806
—— *viride* (L.) Moench. 803, *804, 805-807
Dipterocarpaceae 294
Dischidia imbricata (Blume) Steud. 697, 706
Disperis anthoceros 573
The distribution of the little-known and rare Derris ovalifolia (Leguminosae : Papilionoideae) extended, K. M. Matthew 561
Diuranthera Hemsl. 670
Dolichos: The identity of Dolichos ufiomensis Heering (Leguminosae - Papilionoideae - Phaseoleae), R. Pasquet & B. Verdcourt 332
Dolichos 365
—— *kilimandscharicus* Taub. subsp. *parviflorus* Verdc. 332
—— *multiflorus* Torr. & A. Gray 365, 366
—— —— var. *halei* Wood 366
—— *ufiomensis* Heering 332
Dörrstock, S., Seine, R., Porembski, S. & Barthlott, W.: First record of the American Utricularia juncea from Africa 579
Dransfield, S. & Widjaja, E. A. (Eds.): Plant Resources of South East Asia No. 7 Bamboos (Rev.) 418
Dransfield, Soejatmi: New species of Dinochloa (Gramineae - Bambusoideae) in Malesia and notes on the genus 103
Drepanostachyum 810, 811
—— *jainianum* (C. R. Dal & D. C. Pal) R. B. Majumdar 811
—— *patellaris* (Gamble emend. Stapleton) C. J. Hsueh & D. Z. Li 811
Dressler, S.: Bridelia (Euphorbiaceae) in New Guinea with a description of a new species 601
Drosera indica L. 580
Drymophila R. Br. 676, 677
Drypetes forbesii Sherff 175
—— *sherffii* Govaerts & Radcl.-Sm. 175
Duckeola *684, 685
—— *ghilianii* Spinola 685, 687
Duparquetia orchidacea Baill. 129
Duranta erecta L. 501
—— *repens* L. 501

Echeandia Ortega 669, 670
Echites 465, 467
—— sect. *Aganosma* Blume 455, 456, 465, 467
—— *acuminata* Roxb. 469
—— *apoxys* Voigt 469
—— *bracteata* Wall. 463
—— *calycina* Wall. 478

Echites

Echites caryophyllata 468
—— —— auct. non Roxb. 464
—— —— auct. non Roxb.: Blume 478
—— —— Roxb. 465, 467
—— —— sensu Blume 467
—— —— sensu Sims 465, 467
—— —— var. *glabra* 480
—— —— var. *glabrata* Hassk. 480
—— *conferta* Wall. 462, 463
—— *cristata* Roth in Roem. & Schult. 475
—— *cymosa* Roxb. 458, 462
—— —— var. *conferta* 463
—— *dichotoma* Kunth 468, 480
—— —— Roth in Roem. & Schult. 464, 465, 468
—— —— Thunb. 468
—— *elegans* Wall. 462, 463
—— *heynei* Spreng. 464, 468
—— *macocarpa* Wall. 471
—— *marginata* Roxb. 469, 475
—— *procumbens* Blanco 472
—— *repens* Blanco 471
—— *reticulata* Bojer 469
—— —— Wall. 469
Eclipta alba (L.) Hassk. 503
—— *prostata* (L.) L. 503
Edmondson, John: James Bolton of Halifax (Notice) 429
Elaeocarpus for Flora Malesiana - notes, new taxa and combinations in sect. Elaeocarpus: 2, M. J. E. Coode 83
Elaeocarpus for Flora Malesiana - notes, new taxa and combinations in the Acronodia group, M. J. E. Coode 267
Elaeocarpus for Flora Malesiana: the 'Polystachyus' group, M. J. E. Coode 649
Elaeocarpus 83, 92, 267, 292, 294, 649, 665
—— subgen. *Acronodia* 268
—— sect. —— (Blume) Mast. 268
—— sect. *Coilopetalum* Schltr. 267, 268, 276, 293, 649, 650
—— sect. *Elaeocarpus* 83, 84, 92, 93, *95, 98
—— sect. *Fissipetalum* Schltr. 278
—— group "*Polystachyus*" 267, 268, 649, 651, 661, 663
—— group "Tetramerous" Corner 268
—— group *Acronodia* 267, †268, 269, 287, 293, 299, 649, 650, 661
—— *acronodia* sensu Mast. †273, 274, 276, 288, 290
—— —— subsp. *acronodia* 269, 272, †274, *275
—— —— Mast. subsp. *sumatrana* Coode 661
—— —— subsp. *sumatranus* Coode 269, 273, †274, *277, 278
—— —— subsp. *sundarum* Coode 272, 274, *277, †278
—— *amygdalinus* Wall. 89
—— *aristatus* Wall. 89
—— *arnhemicus* F. Muell. 278
—— *atrescens* Knuth 100
—— *beccarii* Warb. 279
—— *borneensis* R. Knuth 281
—— *canipes* R. Knuth 653, 654
—— *chrysophyllus* Merr. 271, †278
—— —— Stapf 278
—— *clemensiae* R. Knuth 654
—— *clementis* Merr. 284, 651, †652, 653, 654, 660, 663
—— —— var. *borneensis* (Ridl.) Coode 651, †653, 654, 657, 659
—— —— var. *canipes* 654, 659

Elaeocarpus

Elaeocarpus clementis var. *chrysoserica* Airy Shaw 656
—— —— var. *clemensiae* (R. Knuth) Coode 651, †654, *655, 657
—— —— var. *clementis* 651, †656
—— —— var. *kostermansii* Coode 651, †657
—— *clethroides* Schltr. 649
—— *congestifolius* R. Knuth 293, 298
—— *cupreus* Merr. 653, †657, 658
—— —— pubescent form 651
—— —— sensu lato 654
—— —— typical form 651
—— —— var. *ochraceus* 654
—— *dallasensis* R. Knuth 282
—— *dongnaiensis* Pierre 89
—— *elliffii* B. Hyland & Coode 649
—— *elliptifolius* Merr. 282
—— *euneurus* Stapf ex Ridl. 269, †279, 290
—— *fagaceus* R. Knuth 658, 659
—— *ferrugineus* (Jack) Steud. †279, 281, 283, 284
—— —— subsp. *elliptifolius* (Merr.) Coode 271, 281, †282
—— —— subsp. *ferrugineus* Ng 270, 271, †281, 282, 283
—— —— subsp. *glabrescens* (Mast.) Coode 271, 279, 281, †282, 290
—— —— subsp. *parviflorus* Coode 270, 271, 281, †283
—— *ferruginiflorus* C. T. White 649
—— *foveolatus* F. Muell. 649
—— *foxworthyi* Merr. 86
—— *fraseri* Coode 86, 87, 89, 91, 99
—— *fulvotomentosus* R. Knuth 282
—— *glaber* 94
—— *glaberrimus* R. Knuth 293
—— *glabrescens* Mast. 282
—— *griffithii* (Wight) A. Gray 656
—— *helferi* Kurz 89
—— *hochreutineri* Weibel 98, 99, 100
—— *inopportunus* Coode 268
—— *integripetalus* Miq. 650, 651, †660, 661
—— *jackianus* 280
—— *jackii* F. Muell. 280
—— *jacobsii* Coode 270, †283, *285, 299
—— *japonicus* Siebold & Zucc. 267, 268
—— *kalabitii* Weibel 269, †284
—— *kjellbergii* Coode †83, *85, 86
—— *knuthii* Merr. †286, 287
—— —— subsp. *cuspidatus* (Ridl.) Coode 270, 272, †287
—— —— subsp. *knuthii* 270, 272, †286, 287, 294, 299
—— *largiflorens* C. T. White 649
—— *leptostachyus* Wall. 89
—— *leucanthus* A. C. Sm. 93
—— *lingualis* R. Knuth 649
—— *longibarbatus* Warb. 100
—— *lucidus* Roxb. 89
—— *luridus* Stapf ex Ridl. 294
—— *macrocarpus* Miq. 86, 87, 89, 98
—— —— Ridl. 91, 92, 99
—— *marginatus* Stapf ex Weibel 269, †287
—— *mastersii* King 269, 274, 276, 278, 283, †288, 290, 299
—— —— f. Bangka I. †290
—— —— f. high-altitude 272, 290
—— —— f. mainland Sumatran 269, 271, 272, 288, †290
—— —— f. mid-altitude Bornean 288

Elaeocarpus

Elaeocarpus mastersii f. mountain small-leaved Ridl. †291
—— —— f. typical lowland swamp-forest 269, 271, 272, †288, 289
—— *microphyllus* Warb. 291
—— *mindoroensis* Knuth 86
—— *molloides* R. Knuth 653, 654
—— *multinervosus* R. Knuth 651, *655, †661, 662
—— *muluensis* Weibel 269, 286, †291, 296
—— *nanus* Corner 287, †292
—— —— subsp. *congestifolius* (R. Knuth) Coode 269, 270, 272, 292, †293, 294, 296
—— —— subsp. *nanus* 270, †292, 294
—— —— subsp. *sumatrensis* Coode 270, 292, †294
—— *nitentifolius* Merr. & Chun 267, 268
—— *nitidus* sensu King 89
—— —— Jack var. *leptostachyus* (Wall. ex C. Muell.) King 89
—— *ochraceus* Stapf ex Ridl. 657, 659
—— *octantherus* A. DC. 291
—— *oriomensis* Weibel 93
—— *ovalifolius* [Wall., Cat.] C. Muell. 89
—— *pachyophrys* Warb. 269, 271, 294, 299
—— *pagonensis* Coode 272, 293, †295, 296, *297
—— *polyanthus* Ridl. 651, †662
—— *polycarpus* Stapf ex Ridl. 661, 662
—— *polystachyus* sensu Merr. 653
—— —— Wall. ex Müll. 268, 650, 651, 659, †664, 665
—— —— var. *borneensis* Ridl. 653
—— *pseudopaniculatus* 268, 665
—— *punctatus* (Blume) King 273
—— —— King pro parte 292, 293
—— —— Wall. ex Mast. 273
—— *retakensis* Coode 272, *297, †298
—— *reticosus* Ridl. 270, 271, †299
—— *reticulatus* Ridl. 287, 292
—— —— Ridl. var. *cuspidatus* Ridl. 287, 292
—— *robustus* Roxb. 86, 87, †89, 92, 94
—— —— var. *collinus* Coode 87, 88, †90
—— —— var. *megacarpus* Coode 88, 90, †91, 92, 93, 96, 99
—— —— var. *ovalis* Ridl. 86
—— —— var. *robustus* 88, †89, 90, 92, 99
—— *roslii* Coode †92, 93, 94, 98
—— —— subsp. *bracteolatus* Coode 88, 94, †96, *97, 98
—— —— subsp. *opacus* Coode 87, 89, 92, 94, †96, *97, 98
—— —— subsp. *roslii* 87, 89, †94, *95, 96, 98
—— —— subsp. *terajanus* 87, 88, 94, *97, †98
—— *rufovestitus* Baker 267, 268
—— *ruminatus* F. Muell. 267
—— *sebastianii* Weibel 83, 86
—— *sericeus* Stapf 293
—— *sericopetalus* F. Muell. 649
—— *serratus* Wall. 89
—— *stipularis* 83
—— *submonoceras* Miq. 98
—— *thelmae* B. Hyland & Coode 649
—— *trichophyllus* Coode 84, 86
—— *valetonii* Hochr. 98, 99
—— —— var. *longibarbatus* (Warb.) Coode †100
—— —— var. *valetonii* †99
—— sp. *E* Cockburn 286
Eleocharis filiculmis Kunth 486
—— *geniculata* 486
Elizabetha 121
—— *speciosa* Ducke 125, 131

Eltroplectris

Eltroplectris calcarata (Sw.) Garay & H. R. Sweet 487
Encyclia 488
—— *boothiana* (Lindl.) Dressler 489
—— *cochleata* (L.) Lemée 489
—— *kingsii* (C. D. Adams) Proctor 483, 488
—— *phoenicia* (Lindl.) Newm. 489
Entoloma (Fr.) P. Kumm. subgen. *Leptonia* (Fr.) Noordel. 790
—— *naranjanum* Dennis 790
—— *olivipes* A. Pearson ex Pegler †788, *789
Entolomataceae 788
Epidendrum 488
—— *boothianum* Lindl. 489
—— *cochleatum* L. 489
—— *kingsii* C. D. Adams 488
—— *nocturnum* Jacq. 489
—— sp. aff. *plicata* 489
Epigynum 455
Epimedium acuminatum and allied Chinese species (Berberidaceae), William T. Stearn 393
Epimedium campanulatum (Berberidaceae), a new Chinese spurless species from Sichuan, Mikinori Ogisu 401
Epimedium 393, 395, 398, 402
—— ser. *Dolichocerae* 393
—— *acuminatum* Franch. 393, 395, †396, 398
—— *alpinum* 395
—— *campanulatum* Ogisu †401, 402, *403, 404
—— *davidii* 393
—— *diphyllum* Graham 402
—— *ecalcaratum* G. Y. Zhong 401, 402, *403, 404
—— *elongatum* Kom. 395, †396
—— *enshiense* B. L. Guo & R. G. Hsiao 395, †396
—— *fangii* 393
—— *franchetii* Stearn 393, 395, †396, *397
—— *grandiflorum* 393
—— *huanense* 398
—— *komarovii* H. Lév. 393, 396
—— *macranthum* 393
—— *membranaceum* K. I. Mey. 395, 396, †398
—— × *omeiense* 393
—— *pinnatum* subsp. *colchicum* 395
—— *platypetalum* K. I. Mey. 401-404
—— *sagittatum* 393
—— *simplicifolium* T. S. Ying 395, †399
—— *sinense* 393
—— *sutchuenense* Franch. 395, 399
—— *wushanense* T. S. Ying 395, 399
—— group *Acuminatum* 395
Epiphyllum phyllanthus (L.) Haw. 490
Eragrostis dayanandanii – a new grass from Tamil Nadu, India, P. Ravichandran, S. Krishnan, N. P. Samson, V. R. Subbiah, K. Azhakanandam & D. Narasimhan 155
Eragrostis dayanandanii Ravichandran, Krishnan & N. P. Samson †155, *156, 157
—— *malayana* Stapf 155, 157
—— *tenella* (L.) P. Beauv. ex Roem. & Schult. 155
Eremocrinum M. E. Jones 678
Eriocaulaceae 580, 625
Eriocaulon schimperi (Eriocaulaceae) and some related species in Eastern Africa, Sylvia M. Phillips 333
Eriocaulon: Some new African taxa of Eriocaulon, with notes on their systematic position, Sylvia M. Phillips 625
Eriocaulon 333, 334, 340, 629, 638, 639, 641, 647

Eriocaulon

Eriocaulon abyssinicum Hochst. 631, 641
—— *achiton* Körn. 626, 629
—— *afzelianum* Körn. 639
—— *andongense* Rendle 634, 636, 639, *640
—— *angustisepalum* H. Hess 643, 644, 646
—— *buchananii* Ruhland 625, 634, 637, 639, *640, 644, *647
—— —— var. *andongense* (Welw. ex Rendle) Kimpouni 635
—— *burttii* S. M. Phillips 625, 634, 635, †636, 637, 639, *640
—— *chloanthe* S. M. Phillips *627, 634, 635, †637, 639, *642
—— *cinereum* R. Br. 629, 631, 641
—— *congense* Mold. 334
—— *friesiorum* Bullock 333, 336
—— *fulvum* N. E. Br. 625, 634, 635, 639, *641
—— *fuscum* S. M. Phillips 625, †629, *630, *631, 632
—— *gracile* Mart. 626
—— *huillense* Rendle 643
—— *iringense* S. M. Phillips 333, 334, †337, *338, 340
—— *laniceps* S. M. Phillips †625, 626, *627, *628, 639
—— *maculatum* Schinz 634, 635, 637, 639, *642, 647
—— *maronderanum* S. M. Phillips 625, *645, †646, 647
—— *mesanthemoides* Ruhland 333, 334, †336, 337, *338, 340
—— *mulanjeanum* S. M. Phillips 625, 626, *627, *628, 634, 635, †638, 639
—— *mutatum* N. E. Br. 625, 631, 641, 644, *645, 646, 647
—— —— var. *angustisepalum* (H. Hess) S. M. Phillips 643, †644
—— —— var. *majus* S. M. Phillips 643, †644
—— —— var. *mutatum* †643, 644
—— *nigrocapitatum* Kimpouni 625, *645, 646, 647
—— *polhillii* S. M. Phillips 625, †626, 629, *630, *631, 632
—— *pseudomutatum* Kimpouni 642, 643
—— *schimperi* Körn. ex Ruhland 333, †334, 335, 337, *338, 339, 340, 634
—— —— var. *gigas* Mold. 334
—— *schimperianum* 334
—— *strictum* Milne-Redh. 634, 635, 639, *641, 647
—— *taeniophyllum* S. M. Phillips 625, †632, *633, 634
—— *teusczii* Ruhland 632, 634
—— *thwaitesii* Körn. 632
—— *transvaalicum* N. E. Br. 634, 636, 639, 647
—— *truncatum* Mart. 632
—— *volkensii* Engl. 333, †339, 340
—— —— var. *mildbraedii* Ruhland 334
—— *zambesiense* Ruhland 634, 639
Eriospermum 679
Erythrina velutina Willd. 494
Erythroxylaceae 499
Erythroxylum confusum Britton in Britton & Millsp. 499
Ethiopia: New species of Habenaria (Orchidaceae) from Ethiopia, S. Thomas & P. J. Cribb 145
Eucalyptus decipiens 170
—— *ficifolia* 170
—— *marginata* 170
Euclusia 692
Eugenia 496
—— *axillaris* (Sw.) Willd. 496
—— *biflora* (L.) DC. 495
—— *foetida* Pers. 495

Euglossa

Euglossa *689, 690, 691
Euphorbia: Reinstatement of Euphorbia duclouxii, A. Radcliffe-Smith 102
Euphorbia 534, 542
—— subgen. *Esula* 102
—— *amygdaloides* L. 102
—— *baetica* Boiss. 102
—— *balsamifera* 529
—— *biumbellata* Poir. 102
—— *cactus* 776
—— *clementi* Boiss. 542
—— —— Domin 542
—— *duclouxii* Lév. & Vaniot †102
—— *glareosa* Pall. ex M. Bieb. var. *lasiocarpa* Boiss. 542
—— *heldreichii* Orph. ex Boiss. 102
—— *linguiformis* McVaugh var. *actinadenia* (McVaugh) Radcl.-Sm. & Govaerts 542
—— *nicaeënsis* All. subsp. *glareosa* (Pall. ex M. Bieb.) Radcl.-Sm. & Govaerts var. *lasiocarpa* (Boiss.) Radcl.-Sm. & Govaerts 542
—— *occidentaustralica* Radcl.-Sm. & Govaerts 542
—— *salsuginosa* (McVaugh) Radcl.-Sm. & Govaerts 542
—— *wallichii* Hook. f. 102
—— —— subsp. *duclouxii* (Lév. & Vaniot) R. Turner 102
—— *yunnanensis* 102
Euphorbiaceae: Bridelia (Euphorbiaceae) in New Guinea with a description of a new species, S. Dressler 601
Euphorbiaceae: More on Pseudocroton tinctorius Müll. Arg., A. Radcliffe-Smith 384
Euphorbiaceae: A new name and new combinations in the Euphorbiaceae - Euphorbiinae, A. Radcliffe-Smith & R. Govaerts 542
Euphorbiaceae: New names and combinations in Euphorbiaceae - Phyllanthoïdeae, R. Govaerts & A. Radcliffe-Smith 175
Euphorbiaceae: A new Piranhea from Brazil, and the subsumption of the genus Celaenodendron (Euphorbiaceae - Oldfieldioideae), A. Radcliffe-Smith & J. A. Ratter 543
Euphorbiaceae: Notes on African Euphorbiaceae XXX: Phyllanthus (V) & c., A. Radcliffe-Smith 301
Euphorbiaceae: A second species of Aristogeitonia (Euphorbiaceae) for Tanzania, A. Radcliffe-Smith 799
Euphorbiaceae 305, 384, 497, 601, 681
—— subfam. *Oldfieldioideae* 544, 799
—— subfam. *Phyllanthoideae* 305, 799
—— tribe *Euphorbiinae* 542
—— tribe *Phyllantheae* Pax 305, 546, 799
—— subtribe *Dissiliariinae* 799
—— subtribe *Mischodontinae* Müll. Arg. 799
—— subtribe *Paivaeusinae* 546, 799
—— subtribe *Picrodendrinae* (Small) G. L. Webster 546
—— subtribe *Toxicodendrinae* 799
Euphronia guianensis (R. H. Schomb.) Hallier 683
Eurychanes 819, 820
—— *verbasciformis* Nees 819
Eustrephus R. Br. 670, 671, 676, 678
—— *latifolius* 669, *675
Evolvulus arbuscula Poir. 500
—— *lavae* Schweinf. ex Deflers 406, 407
—— *squamosus* Britton 500
Excremis Willd. ex Schult. f. 677

Exothea

Exothea paniculata (Juss.) Radlk. in Durand 498
Ezcurra, Cecilia & Zappi, Daniela: Ruellia verbasciformis, a new combination in the genus Ruellia (Acanthaceae) 819

Fadogia 343, 346, 349
—— *ancylanthoides* Wernham 350
—— *chlorantha* K. Schum. 348
—— *chrysantha* K. Schum. *345, 346, 348
—— *lactiflora* Welw. ex Hiern 350, 352
—— *rogersii* Wernham 351
Fadogiella Robyns 343, 347, 350
—— *cana* (K. Schum.) Robyns 347
—— *rogersii* (Wernham) Bridson †351, 352
—— *stigmatoloba* (K. Schum.) Robyns 346, 347, 350
Fagaceae 719
Fagus sp. 750
Faramea occidentalis (L.) A. Rich. 502
Farr, David, Bartolome Esteban, H. & Palm, Mary E.: Fungi on Rhododendron: A World Reference (Notice) 829
Ferguson, I. K. & Tucker, S. C. (Eds.): Advances in Legume Systematics. Part 6. Structural Botany (Rev.) 419
Ferguson, L. F. *Reviewer*: Flores Silvestres de Baleares, by Angel M. Romo 215
Fevillea cordifolia L. 492
Figueiredo, Estrela & Jury, Stephen L.: Notes on Brachystephanus (Acanthaceae) 753
Filicupula: Notes on British Octosporella with a new genus, Filicupula (Pezizales), Y.-J. Yao & B. M. Spooner 196
Filicupula Y.-J. Yao & Spooner †193, 194
—— *suboperculata* (Döbbeler & P. James) Y.-J. Yao & Spooner †194
First record of the American Utricularia juncea from Africa, S. Dörrstock, R. Seine, S. Porembski & W. Barthlott 579
Flacourtiaceae 483, 491
Flaveria trinervia (Spreng.) C. Mohr 503
Flora: Additions and corrections to "Flora of the Cayman Islands", George R. Proctor 483
Flower morphology and pollination biology of Clusia species from the Gran Sabana (Venezuela), V. Bittrich & Maria C. E. Amaral 681
Flueggea microcarpa Blume 178
—— *virosa* (Roxb. ex Willd.) Voigt 178
Fockea Endl. 711
—— *edulis* (Thunb.) K. Schum. 697
Forman, L. L.: A new species of Hypserpa (Menispermaceae) from New Caledonia 549
Forsythia mala-elengi Dennst. 767
Fortunato, R. H., Queiroz, L. P. de & Lewis, G. P.: Lackeya, a new genus in the tribe Phaseoleae subtribe Diocleinae (Leguminosae - Papilionoideae) from North America 365
Franchetella Kuntze 234
—— *arborescens* (Spreng.) Kuntze 240
—— —— var. *abyssinica* (A. Rich.) Kuntze 244
—— —— var. —— (Hochst.) Kuntze 243, 244
—— —— var. *acuminata* Kuntze 244
—— —— var. *collina* (Eckl. & Zeyh.) Kuntze 242
—— —— var. *normalis* Kuntze 244
—— —— var. *platyphylla* Welw. ex Hiern nom. nud. 251
—— —— var. *stenophylla* (Schinz) Hiern 250
—— —— var. *sylvatica* Kuntze 244

Freeman

Freeman, John D.: Text annotations and identification notes for Manual of the Vascular Flora of the Carolinas (Notice) 830
Friis, I., Verdcourt, B. & Vollesen, K.: New combinations in African Sapindaceae 802
Frullania tamarisci (L.) Dumort 193, 196
Furcraea ? hexapetala (Jacq.) Urb. 487
Furness, C. A. *Reviewer*: Anther: Form, Function and Phylogeny, by W. G. D'Arcy & R. C. Keating (Eds.) 613

Galactia 365, 369, 370
—— sect. *Collearia* (Benth.) Burkart 369
—— sect. *Galactia* 369
—— sect. *Odonia* (Bertol.) Burkart 369
—— *mohlenbrockii* Maxwell 365, 366, 369, 370
—— —— var. *halei* (Wood) Maxwell 366
—— *multiflora* 365
—— *viridiflora* 369
Galanthus: Taxonomic status of three Caucasian snowdrops: Galanthus alpinus Sosn., G. bortkewitschianus Koss and G. caucasicus (Baker) Grossh., A. P. Davis, H. Mordak & S. L. Jury 741
Galanthus 741, 743
—— *alpinus* Sosn. 741-745, †746, 747
—— —— var. *alpinus* †747
—— —— var. *bortkewitschianus* (Koss) A. P. Davis 747, †750, *751
—— *bortkewitschianus* Koss 741-745, 750
—— *caucasicus* (Baker) Burb. 748
—— —— (Baker) Grossh. 741-745, 747
—— *cilicicus* Baker 744
—— *elwesii* Hook. f. 743-745
—— *grandis* Burb. 747
—— *lagodechianus* Kem.-Nath. 742
—— *latifolius* Rupr. 742
—— *nivalis* L. 742, 747
—— —— sensu Redouté 747
—— —— subsp. *caucasicus* Baker 741, 745-748
—— —— var. *caspius* Rupr. 747
—— —— var. *caucasicus* (Baker) Beck 748
—— —— var. —— (Baker) Fomin 748
—— —— var. —— (Baker) J. Philippow 748
—— —— var. *major* Redouté 747
—— —— var. *redoutei* Rupr. ex Regel 747
—— *platyphyllus* Traub & Moldenke 642
—— *plicatus* 745, 748
—— *redoutei* (Rupr. ex Regel) Regel 747
—— *schaoricus* Kem.-Nath. 742, 748
—— *transcaucasicus* Fomin 745, 747
Gaoligongshania 565
Gardner, David. *Reviewer*: Plants and their Names. A concise Dictionary, by Roger Hyam & Richard Pankhurst 213
Gasson, Peter. *Reviewer*: Plant Resources of South East Asia (PROSEA) No. 5 (1) Timber Trees: Major Commercial Timbers, by I. Soerianegara & R. H. M. J. Lemmens 218
Gasson, Peter. *Reviewer*: Plant Resources of South East Asia No. 5 (2). Timber Trees: Minor Commercial Timbers, by R. H. M. J. Lemmens, I. Soerianegara & W.C. Wong 825
Geitonoplesiaceae Conran 678
Geitonoplesium A. Cunn. ex R. Br. 676-678
Geltman, D. (Ed.): Russian Edition of The Herbarium Handbook (Notice) 429
Genianthus Hook. f. 712

Genlisea

Genlisea stapfii A. Chev. 580
Gentianaceae 499, 582
Gentry, Alwyn H. & Vasquez, Rodolfo (Illustrator): Field guide to the families and genera of woody plants of Northwest South America (Notice) 830
The genus Cladostigma (Convolvulaceae), Sebsebe Demissew 405
The genus Dipcadi (Hyacinthaceae) in the Arabian Peninsula, Shahina A. Ghazanfar 803
The genus Hapiline (Araceae: Aroideae: Caladieae), P. C. Boyce 63
The genus Hildebrandtia (Convolvulaceae) from mainland Africa and Arabia, Sebsebe Demissew 525
Geopora sepulta (Pezizales) in Britain, with a key to British species of the genus, Y.-J. Yao & B. M. Spooner 381
Geopora 382, 383
—— *arenicola* (Lév.) Kers. 381-383
—— *cervina* (Velen.) T. Schumach. 383
—— *foliacea* (Schaeff.) S. Ahmad 383
—— *sepulta* (Fr.) Korf & Burds. †381, 382, 383
—— *sumneriana* (Cooke) M. Torre 383
—— *tenuis* (Fuckel) T. Schumach. 383
Getliffe Norris, Fiona, Balkwill, Kevin & Balkwill, Mandy-Jane: Systematic studies in the Acanthaceae. Dicliptera in southern Africa 1
Ghazanfar, Shahina A.: The genus Dipcadi (Hyacinthaceae) in the Arabian Peninsula 803
Gilbert, M. G., Carter, Susan & Sebsebe Demissew: The identity of the Massawa Aloe 775
Gilbertiodendron dewevrei (De Wild.) J. Léonard 131
Gleditsia 121, 123, 127
—— *caspica* Desf. 121, 123, 128
—— *japonica* Miq. 128
—— *koraiensis* Nakai 128
Glochidion 175
—— *macphersonii* Govaerts & Radcl.-Sm. 175
—— *macrophyllum* (Labill.) Müll. Arg. 175
—— *nitidum* Merr. 175
—— *stilnophyllum* Govaerts & Radcl.-Sm. 175
—— *zeylanicum* (Gaertn.) A. Juss. 178
Glossostelma 718
Gomphocarpus: New combinations in Gomphocarpus R. Br. and Pachycarpus E. Mey. (Asclepiadaceae), D. J. Goyder 798
Gomphocarpus 798
—— *bisacculatus* Oliv. 798
—— *fruticosus* (L.) W. T. Aiton 706
—— —— subsp. *flavidus* (N. E. Br.) Goyder †798
—— *phillipsiae* (N. E. Br) Goyder †798
Goniorrhachis marginata 544
Goniostemma Wight 712
Gonocrypta grevei Baill. 697, 708
Goodeniaceae 502
Gorbatenko, Ludmilla & Hawkes, John: The designation of a lectotype for a cultivated potato species, Solanum goniocalyx Juz. & Bukasov 552
Govaerts, R. & Radcliffe-Smith, A.: A new name and new combinations in the Euphorbiaceae - Euphorbiinae 542
Govaerts, R. & Radcliffe-Smith, A.: New names and combinations in Euphorbiaceae - Phyllanthoïdeae 175
Goyder, D. J.: The identity of Secamone gabonensis P. T. Li (Asclepiadaceae) 774

Goyder

Goyder, D. J.: New combinations in Gomphocarpus R. Br. and Pachycarpus E. Mey. (Asclepiadaceae) 798
Graham, G. G. & Primavesi, A. L.: Roses of Great Britain and Ireland. B.S.B.I. Handbook No. 7 (Rev.) 211
Gramineae: A new combination in Ampelocalamus and notes on A. patellaris (Gramineae: Bambusoideae), Dhe-Zu Li, C. M. A. Stapleton & Jia-Rong Xue 809
Gramineae: New species of Dinochloa (Gramineae - Bambusoideae) in Malesia and notes on the genus, Soejatmi Dransfield 103
Gramineae: A study of the genus Bonia (Gramineae : Bambusoideae), N. H. Xia 565
Gramineae 486, 580
—— tribe *Bambuseae* 566
—— tribe *Melocanneae* 566
Green, P. S. *Reviewer*: Underground organs of herbaceous Angiosperms, by Tatemi Shimizu & Masayoshi Umebayashi 216
Green, P. S.: Taxonomic notes on Asiatic Chionanthus (Oleaceae) 765
Green, P. S.: Flora of Australia Volume 49: Oceanic Islands (Rev.) 212
Grevea: A reappraisal of the Grevea (Montiniaceae) growing on the Kenyan coast, B. Verdcourt 821
Grevea 771
—— *eggelingii* Milne-Redh. 771, 772
—— —— subsp. *echinocarpa* (Mendes) Verdc. 771
—— —— subsp. *eggelingii* 771
—— —— var. *keniensis* (Verdc.) Verdc. 772
—— *madagascariensis* 771, 772
—— —— subsp. *keniensis* Verdc. 772
—— —— subsp. *leandrii* 772
—— —— subsp. *sublevis* 772
—— sp. nov. 772
Grewia 538
—— sp. 531
Guibourtia 315
Guttiferae 681
Gyrocarpus 529

Habenaria: A new name in Habenaria (Orchidaceae), I. F. la Croix 364
Habenaria: New species of Habenaria (Orchidaceae) from Ethiopia, S. Thomas & P. J. Cribb 145
Habenaria 145
—— sect. *Diphyllae* 151, 154
—— sect. *Multipartitae* 145, 147, 149
—— sect. *Replicatae* 149, 151
—— *aethiopica* S. Thomas & P. J. Cribb †149, *150
—— *armatissima* Rchb. f. 154
—— *batesii* la Croix †364
—— *cavatibrachia* Summerh. 149
—— *decorata* A. Rich. 145, 147
—— *decumbens* S. Thomas & P. J. Cribb †151, *153, 154
—— *excelsa* S. Thomas & P. J. Cribb †147, *148
—— *falciloba* Summerh. 147
—— *gilbertii* S. Thomas & P. J. Cribb †145, *146, 147
—— *humilior* Rchb. f. 149, 151
—— *macrandra* Lindl. 353
—— *macrura* Kraenzl. 154
—— *praetermissa* la Croix 364
—— —— Seidenf. 364
—— *quartiniana* A. Rich. 145, 147

Habenaria

Habenaria taeniodema Summerh. 147
—— *thomana* Rchb. f. †353, *354
—— *tricruris* (A. Rich.) Rchb. f. 149
—— *vaginata* A. Rich. 154
—— *vollesenii* S. Thomas & P. J. Cribb †149, *152
Hagenia abyssinica 443
Halictidae 691
Halodule beaudettei (Hartog) Hartog 486
Halongia Jeanpl. 670
Halophila 485
—— *baillonis* Asch. ex Dickie in Hook. f. 485, 486
—— *decipiens* Ostenf. 485, 486
—— *engelmannii* Asch. in Neumyer 485, 486
Hapale Illiger 63
—— Schott 63, 67
—— *benthamiana* Schott. 74
Hapaline: The genus Hapiline (Araceae: Aroideae: Caladieae), P. C. Boyce 63
Hapaline Schott 63-66, †67, 80
—— *appendiculata* Ridl. 65-67, †68, *69, 70, 72
—— *benthamiana* Schott 65-68, †74, 76, *77, 78
—— *brownii* Hook. f. 65, 66, 68, 70, †72, *73, 76
—— *celator* P. C. Boyce 70
—— *celatrix* P. C. Boyce 65, 66, 68, †70, *71
—— *colaniae* Gagnep. 65, 66, 68, †78, *81
—— *ellipticifolia* C. Y. Wu & H. Li 65, 68, †78, *79
—— *kerrii* Gagnep. 65, 66, 68, †74, *75
Haplocoelum foliolosum (Hiern.) Bullock subsp. *mombasense* (Bullock) Verdc. 802
—— *mombasense* Bullock 802
Harrisella porrecta (Rchb. f.) Fawc. & Rendle 489
Harvey, Y. B.: The Stachys aculeolata/aethiopica complex in tropical Africa 433
Hawkes, John & Gorbatenko, Ludmilla : The designation of a lectotype for a cultivated potato species, Solanum goniocalyx Juz. & Bukasov 552
Hawksworth, D. L., Kirk, P. M., Sutton, B. C. & Pegler, D. N.: Ainsworth & Bisby's Dictionary of the Fungi, 8th edition (Rev.) 822
Haywood, John: New key to wild flowers (Notice) 430
Hedysarum confertum (N. S. Pavlova) N. S. Pavlova 376
—— —— Desf. 376
—— —— M. Bieb. 376
—— *nonnae* Roskov †376
—— *sachalinense* subsp. *confertum* N. S. Pavlova 376
Helenium amarum (Raf.) H. Rock 503
Heller, D. & Heyn, C. C.: Conspectus Florae Orientalis. An Annotated Catalogue of the Flora of the Middle East. Fascicle 9 (Notice) 831
Hemerocallidaceae R. Br. 678
Hemerocallis L. 677, 678
—— *liloasphodelus* 678
Hemidesmus 708, 719
—— *indicus* (L.) R. Br. 708
Hemidiodia 503
—— *ocymifolia* (Willd.) K. Schum. 483, 503
Henrici, Alick. *Reviewer*: Ainsworth & Bisby's Dictionary of the Fungi, 8th edition, by D. L. Hawksworth, P. M. Kirk, B. C. Sutton & D. N. Pegler 822
Hensmania W. Fitzg. 677, 678
Herreria 679
Heteromorpha: A revision of the genus Heteromorpha (Apiaceae), P. J. D. Winter & B.-E. Van Wyk 225
Heteromorpha Cham. & Schltdl. 225, 226, 228, *229, *230, 231, *232, *233, †234, 235-237, 263

Heteromorpha

Heteromorpha abyssinica auct. non Hochst. ex A. Rich. 251
—— —— Hochst. 244
—— —— Hochst. ex A. Rich 243, 244
—— —— var. *abyssinica* 244
—— —— var. *simplicifolia* A. Rich 244
—— *andohahelensis* Humbert 260
—— *andringtrensis* Humbert 260
—— *angolensis* (C. Norman) C. Norman 253
—— *arborescens* (Spreng.) Cham. & Schltdl. 225, 226, *227, *230, 234, 237, †238, 239, 248, 249, 251, 252, 256-259, 263
—— —— var. *abyssinica* (A. Rich.) H. Wolff. *227, *228, *229, 239-242, †243, 245-247, 252, 256
—— —— var. —— (Hochst.) Kuntze 243
—— —— var. *arborescens* *227, *228, *229, 239, †240, 242, 245, 246
—— —— var. *collina* (Eckl. & Zeyh.) Sond. *227, 239, 241, †242, 246
—— —— var. —— f. *anomala* H. Wolff 242
—— —— var. —— f. *normalis* H. Wolff 242
—— —— var. *frutescens* P. J. D. Winter *227, 239, 240, †246, 247
—— —— var. *integrifolia* Sond. 240
—— —— var. *montana* P. J. D. Winter *227, 240, †246
—— —— var. *platyphyllum* sensu H. Wolff 240, 251
—— —— var. *simplicifolia* A. Rich. 243
—— —— var. *trifoliata* (H. L. Wendl.) Sond. 244
—— *betsileensis* Humbert 260
—— *bojeriana* (Baker) Humbert 260
—— *collina* Eckl. & Zeyh. 242
—— *coursii* (Baker) Humbert 260
—— *glauca* Engl. nom. nud. 255, 256, 259
—— *gossweileri* (C. Norman) C. Norman 226, *227, 228, *230, 234, 238, †252, 254, 257, 259, 263
—— *involucrata* Conrath *227, *228, *229, *230, 231, 238, 244, 251, 252, 254, †255, 257-259, 263
—— —— f. *"kassneri"* *227, 258
—— —— f. *"stolzii"* 258
—— —— f. *"Zimbabwe"* *227, 259
—— *kassneri* H. Wolff 256
—— *laxiflora* (Baker) Humbert var. *alticola* Humbert 260
—— —— var. *laxiflora* 260
—— *marojejyensis* Humbert 260
—— *multifoliata* Moss 245
—— *occidentalis* P. J. D. Winter *227, 228, *232, 234, 238, 244, †251, 252, 254, 263
—— *papillosa* C. C. Towns. *227, 230, 237, 239, 244, 245, †247, 248, 249, 263
—— *pubescens* Burtt Davy 226, *227, *229, 233, 237, †254, 255, 257, 263
—— *scandens* Clark 260
—— *stenophylla* Welw. ex Engl. nom. nud. 250
—— —— Welw. ex Schinz *227, 228, *230, *232, 234, 238, 244, 245, 248, †249, 250, 252, 254, 263
—— —— var. *stenophylla* *227, *232, †250, 251
—— —— var. *transvaalensis* (Schltr. & H. Wolff) P. J. D. Winter *227, *229, *232, †250, 251
—— *stolzii* H. Wolff 256, 258
—— *transvaalensis* auct. non Schltr. & H. Wolff 231, 246
—— —— Schltr. & H. Wolff 251
—— *trifoliata* (H. L.Wendl.) Eckl. & Zeyh. 225, 231, 244, 250, 258
—— —— auct. non (H. L. Wendl.) Eckl. & Zeyh. 251
—— —— sensu Cufod. 238

Heteromorpha

Heteromorpha tsaratananensis Humbert 260
Hibiscus lavateroides Moric. 491
—— *pernambucensis* Arruda 491
—— *tiliaceus* L. 491
Hiepko, P. (Ed.), Tamura, M., Tobe, H., Nowicke, J. W., Skvarla, J. J., Pellmyr, O. & Hegnauer, R. (Authors): Die natürlichen Pflanzenfamilien ed. 2. band 17a IV Angiospermae: Ordnung Ranunculales Fam. Ranunculaceae (Rev.) 419
Hildebrandtia: The genus Hildebrandtia (Convolvulaceae) from mainland Africa and Arabia, Sebsebe Demissew 525
Hildebrandtia Vatke 405, 525, †526, 540
—— *africana* Vatke 525, 526, †527, 531, 534
—— —— subsp. *africana* 527, *528, †529
—— —— Vatke subsp. *arabica* Sebsebe 525, 527, †529
—— *aloysii* (Chiov.) Sebsebe 525, *528, †539
—— *austinii* Staples 525
—— *diredawaensis* Sebsebe 525, 527, †531, *533, 534
—— *linearifolia* Verdc. 525, 526, *533, †538
—— *lyciopsis* Chiov. 536
—— *macrophylla* Dammer 534
—— *obcordata* S. Moore 525, 527, †530
—— —— var. *obcordata* *528, †530
—— —— S. Moore var. *puberula* Sebsebe 525, 530, †531
—— *sabaudiella* 526
—— *sepalosa* Rendle 525, 527, 531, 532, †534, *535
—— *sericea* Hutch. & E. A. Bruce 525, 526, †537
—— *somalensis* Engl. ex Peter 525, 526, 531, 532, 534, *535, †536
—— *undulata* S. Moore 529
—— *villosa* Hutch. & E. A. Bruce 525, 529
Hippocrepistigma fruticosum Deflers 406
Hodgsoniola F. Muell. 677, 678
Hoffmannseggia insolita Harms 378
Holarrhena 481
—— *macrocarpa* (Hassk.) Villar 480, 481
—— *procumbens* (Blanco) Merr. 472
—— *pubescens* (Buch.-Ham.) Wall. ex G. Don 480, 481
Humaria Fuckel 385
Humariaceae 194
Humiria balsamifera (Aubl.) A. St.-Hil. 683
Hyacinthaceae: The genus Dipcadi (Hyacinthaceae) in the Arabian Peninsula, Shahina A. Ghazanfar 803
Hyacinthaceae 678
Hyacinthus L. 803
—— *serotinus* L. 803
Hyam, Roger & Pankhurst, Richard: Plants and their Names. A concise Dictionary (Rev.) 213
Hydrocharitaceae 485
Hygrocybe subgen. *Hygrocybe* 788
—— *aurantiorufa* A. Pearson ex Pegler †788, *789
—— *aurantiosplendens* R. Haller Aar. 789
—— *flavescens* (Kauffman) Singer 788
Hygrophoraceae 788
Hymenaea 121, 130
—— *parvifolia* Huber 130
Hymenocardia acida 325
Hymenostegia (Benth.) Harms 130, 596
—— *afzelii* (Oliv.) Harms 130
Hypericum 359, 443
Hypoestes Sol. ex R. Br. 2, 3, 5, 7

Hypoestes

Hypoestes forskaolii (Vahl.) R. Br. 43
—— *triflora* (Forssk.) Roem. & Schult. 2, 23
Hypolytrum 740
Hypserpa: A new species of Hypserpa (Menispermaceae) from New Caledonia, L. L. Forman 549
Hypserpa 549, 550
—— *mackeei* Forman †550, *551
—— *macropoda* 549
—— *neocaledonica* Diels sensu lato 549, 550
—— *neocaledonica - viellardii* complex 550
—— *smilacifolia* Diels 550
—— *viellardii* 549

Ichnocarpus 455
—— sect. *Amphineurion* (A. DC.) Benth. & Hook. 456
—— sect. *Meiadenia* (A. DC.) Benth. & Hook. 456
—— *acuminatus* Fern.-Vill. 469
—— *frutescens* (L.) W. T. Aiton 481
—— *macrocarpus* Fern.-Vill. 469
—— *velutinus* Fern.-Vill. 471
The identity of Dolichos ufiomensis Heering (Leguminosae - Papilionoideae - Phaseoleae), R. Pasquet & B. Verdcourt 332
The identity of Naregamia Wight & Arn. (Meliaceae), Martin Cheek 716
The identity of Secamone gabonensis P. T. Li (Asclepiadaceae), D. J. Goyder 774
The identity of the Massawa Aloe, Susan Carter, M. G. Gilbert & Sebsebe Demissew 775
Iles, Y., Hofmann, H., Owen, P., Bird, S., Stark, G., Hallett, S. (Compilers) & Edmondson, J. (Ed.): Handlist of the Botanical Library, Liverpool Museum (Notice) 831
India: Eragrostis dayanandanii – a new grass from Tamil Nadu, India, P. Ravichandran, S. Krishnan, N. P. Samson, V. R. Subbiah, K. Azhakanandam & D. Narasimhan 155
India: Thottea abrahamii a new species of Aristolochiaceae from Peninsular India, Mathew Dan, P. J. Mathew, C. M. Unnithan & P. Pushpangadan 179
Indigofera ruspolii 538
Indocalamus 566
—— *solidus* C. D. Chu & C. S. Chao 568
Indoneesiella Sreem. 554, 555
—— *echioides* (L.) Sreem. 554, 555
—— *longipedunculata* Sreem. 555
Infraspecific variation in the African genus Margaretta (Asclepiadaceae: Asclepiadoideae), M. Mwanyambo 717
Inocybe (Fr.) Fr. 795
—— subgen. *Inocybe* 795, 796
—— subgen. *Mallocybe* Kuyper 795
—— *arenacolens* (Cleland) E. Horak 795
—— *caesariata* sensu Heim 795
—— *cinnamomea* A. Pearson ex Pegler †793, *794, 795
—— *furfurea* Kühner 796
—— *pullata* A. Pearson ex Pegler *794, †796
Intsia bijuga (Colebr.) Kuntze 121, 130
Ipomoea donaldsonii 538
—— *passifloroides* House 500
Iridaceae 677
Ischnolepis tuberosa Jum. & H. Perrier 697, 708
Isoberlinia doka Craib & Stapf 131
Iva imbricata Walter 503

Jacquinia

Jacquinia arborea 493
—— *berterii* 493
—— *proctorii* 493
Jaqueshuberia amplifolia Cowan 128
Jasarum Bunting 64
Jatropha 304
—— *cervicornis* Suess. 304
—— *divaricata* Sw. 497
—— *monroi* S. Moore 304
—— *pubescens* 544
Johnsonia R. Br. 677, 678
Johnsoniaceae 677, 678
Juniperus procera 443
Jury, S. L., Davis, A. P. & Mordak, H.: Taxonomic status of three Caucasian snowdrops: Galanthus alpinus Sosn., G. bortkewitschianus Koss and G. caucasicus (Baker) Grossh. 741
Jury, Stephen L. & Figueiredo, Estrela: Notes on Brachystephanus (Acanthaceae) 753
Justicia 10
—— *chinensis* L. 12
—— *clinopodia* E. Mey. 29
—— *echioides* L. 555
—— *heterostegia* E. Mey. 25
—— *infundibuliformis* L. 554

Kalmia 190
Kamettia 465, 467
—— *caryophyllata* (Roxb.) Nicolson & Suresh 465, 481
Kartesz, J. T.: Synonymized Checklist of the Vascular Flora of the United States, Canada and Greenland . (Rev.) 615
Karthikeyan, S., Jain, S. K., Nayar, M. P. & Sanjappa, M.: Florae Indicae Enumeratio: Monocotyledonae. Flora of India Series 4 (Notice) 831
Kaushik, Purshotam: Introductory Mycology (Notice) 623
Kenya: A new species of Kyllinga (Cyperaceae) from Kenya, D. A. Simpson & A. M. Muasya 183
Kenya: A new species of Ziziphus (Rhamnaceae) from Kenya, H. J. Beentje 197
Kenya: A reappraisal of the Grevea (Montiniaceae) growing on the Kenyan coast, B. Verdcourt 821
Kingia 671
Konta, F. & Shimizu, T.: Flowering Plants and Ferns of the Tianshan Mountains of China (Notice) 623
Krishnan, S., Ravichandran, P., Samson, N. P., Subbiah, V. R., Azhakanandam, K. & Narasimhan, D.: Eragrostis dayanandanii – a new grass from Tamil Nadu, India 155
Kubitzki, K. *Reviewer*: Monocotyledons: Systematics & Evolution Volumes 1 & 2, by P. Rudall, P. J. Cribb, D. F. Cutler & C. J. Humphries 424
Kyllinga: A new species of Kyllinga (Cyperaceae) from Kenya, D. A. Simpson & A. M. Muasya 183
Kyllinga 185
—— *kilianii* A. M. Muasya & D. A. Simpson †183, *184, 185
—— *pulchella* Kunth 183

la Croix, I. F.: A new name in Habenaria (Orchidaceae) 364
la Croix, I. & Cribb, P. J.: New Polystachya species (Orchidaceae) from tropical West and South-central Africa 571

Labiatae

Labiatae: Taxonomic problems and cytotaxonomic relationships between and within varieties of Ocimum basilicum and related species (Labiatae), A. Paton & E. Putievsky 509
Labiatae 31
Lachnea brunnea (Alb. & Schwein.) Gillet 387, 389
—— *confusa* (Cooke) W. Phillips 387, 389
—— *sepulta* (Fr.) W. Phillips 381
Lackeya Fortunato, L. P. Queiroz & G. P. Lewis †365, 367, 369, 370
Lackeya, a new genus in the tribe Phaseoleae subtribe Diocleinae (Leguminosae - Papilionoideae) from North America, R. H. Fortunato, L. P. de Queiroz & G. P. Lewis 365
—— *multiflora* (Torr. & A. Gray) Fortunato, L. P. Queiroz & G. P. Lewis 365, †366, *368, 369
Lagynias E. Mey. ex Robyns 343, 346-348, 351
—— *discolor* E. Mey. ex Robyns 348, 351
—— *dryadum* (S. Moore) Robyns 346
—— *lasiantha* (Sond.) Bullock 348, 351
—— *monteroi* (Oliv.) Bridson †351, 352
—— *rufescens* (E. A. Bruce) Verdc. 352
Lamprospora De Not 194
Lannea 408
—— *rivae* 151
Lapageria Ruíz & Pav. 676
Larix 190
Launaea intybacea (Jacq.) Beauverd 503
Laundon, Jack R. *Reviewer*: Flora of Australia Vol. 55 Lichens - Lecanorales 2, Parmeliaceae, by Anthony E. Orchard (Executive Ed.) 620
Lavoisiera 134, 138, 140, 142
—— *alba* DC. 136, 140
—— *bergii* Cogn. 136, 140
—— *campos-portoana* Barreto 136, 140
—— *cordata* Cogn. 141
—— *gentianoides* DC. 136, 140
—— *glandulifera* Naudin 141
—— *harleyi* Wurdack 136, 140
—— *imbricata* DC. 136, 140
—— *luetzelburgii* Markgr. 134, 136, 140
—— *macrocarpa* Naudin 136, 140
—— *pectinata* Cogn. 136, 140
—— *pulcherrima* DC. 136, 140
—— *sampaioana* Barreto 136, 140
—— *selloana* Cogn. 136, 140
Laxmannia R. Br. 670, 671, 676
—— *squarrosa* 669, *674
Lebruniodendron J. Léonard 596
Leguminosae - Caesalpinioideae: Notes on Stuhlmannia Taub. and the correct placement of Caesalpinia insolita (Leguminosae - Caesalpinioideae - Caesalpinieae, G. P. Lewis 377
Leguminosae - Caesalpinioideae: Stigma morphology in the Leguminosae: the wet, papillate (WP) stigma in Caesalpinioideae, S. J. Owens & G. P. Lewis 119
Leguminosae - Mimosoideae: Two new species of Acacia (Leguminosae - Mimosoideae) from Brazil, G. P. Lewis 371
Leguminosae - Papilionoideae: The identity of Dolichos ufiomensis Heering (Leguminosae - Papilionoideae - Phaseoleae), R. Pasquet & B. Verdcourt 332
Leguminosae - Papilionoideae: Lackeya, a new genus in the tribe Phaseoleae subtribe Diocleinae (Leguminosae - Papilionoideae) from North

Leguminosae

America, R. H. Fortunato, L. P. de Queiroz & G. P. Lewis 365
Leguminosae - Papilionoideae: New combinations in Northern Eurasian Leguminosae - Papilionoideae, Yu. R. Roskov & A. K. Sytin 376
Leguminosae: Cynometra carvalhoi Harms (Leguminosae : Caesalpinioideae) rediscovered, G. P. Lewis 595
Leguminosae: The distribution of the little-known and rare Derris ovalifolia (Leguminosae : Papilionoideae) extended, K. M. Matthew 561
Leguminosae: A new large-fruited variety of Acacia polyphylla (Leguminosae : Mimosoideae) from Brazil, G. P. Lewis 591
Leguminosae 125, 127, 328, 367, 483, 493
—— subfam. *Caesalpinioideae* 119, 125, 127, 128, 494
—— subfam. *Faboideae* 493
—— subfam. *Mimosoideae* 127
—— subfam. *Papilionoideae* 119, 125, 127, 493
—— tribe *Amherstieae* 125, 131, 595
—— tribe *Caesalpinieae* 119, 125, 128, 378
—— tribe *Cassieae* 119, 125, 128
—— tribe *Cercideae* 125, 129
—— tribe *Detarieae* 125, 130, 595
—— tribe *Macrolobieae* 595
—— tribe *Phaseoleae* 367, 369, 370
—— subtribe *Bauhiniinae* 129
—— subtribe *Cercidinae* 129
—— subtribe *Dialiinae* 128
—— subtribe *Diocleinae* 365, 369
—— subtribe *Duparquetiinae* 128
Lemmens, R. H. M. J., Soerianegara, I. & Wong, W.C.: Plant Resources of South East Asia No. 5 (2). Timber Trees: Minor Commercial Timbers (Rev.) 825
Lentibulariaceae Rich. 579, 580
Leonardoxa 357
Leotiales: Notes on British species of Tympanis (Leotiales) with T. prunicola new to Britain, Y-J. Yao & B. M. Spooner 187
Lepidium virginicum L. 492
Leptadenia 719
—— sp. 697, 706
Leucocrinum Nutt. ex A. Gray 669, 670
Levine, Carol: Guide to Wildflowers in Winter. Herbaceous Plants of Northeastern North America (Notice) 430
Lewis, G. P.: Cynometra carvalhoi Harms (Leguminosae : Caesalpinioideae) rediscovered 595
Lewis, G. P.: A new large-fruited variety of Acacia polyphylla (Leguminosae : Mimosoideae) from Brazil 591
Lewis, G. P.: Notes on Stuhlmannia Taub. and the correct placement of Caesalpinia insolita (Leguminosae - Caesalpinioideae - Caesalpinieae 377
Lewis, G. P.: Two new species of Acacia (Leguminosae - Mimosoideae) from Brazil 371
Lewis, G. P., Fortunato, R. H. & Queiroz, L. P. de: Lackeya, a new genus in the tribe Phaseoleae subtribe Diocleinae (Leguminosae - Papilionoideae) from North America 365
Lewis, G. P. & Owens, S. J.: Stigma morphology in the Leguminosae: the wet, papillate (WP) stigma in Caesalpinioideae 119
Li, Dhe-Zu, Stapleton, C. M. A. & Xue, Jia-Rong: A new combination in Ampelocalamus and notes on A. patellaris (Gramineae: Bambusoideae) 809

Ligustrum

Ligustrum 190
Liliaceae subfam. *Agavoideae* 487
Linder, H. P. *Reviewer.* Advances in Legume Systematics. Part 7. Phylogeny, by M. D. Crisp & J. J. Doyle (Eds.) 413
Linociera 768
—— *acuminata* Wall. 767
—— *caudata* Collett & Hemsl. 768
—— —— King & Gamble 768
—— *eriorachis* Kerr 766
—— *malabarica* Wall. ex G. Don 767
—— *microbotrys* Kerr 768
—— *microstigma* Gagnep. 768, 769
—— *paludosa* King & Gamble 766
—— *pierrei* Gagnep. 768
—— *procera* Kerr 769
—— *sangda* Gagnep. 769
—— *sutepensis* Kerr 769
—— *terniflora* Wall. 767, 768
—— —— var. *acuminata* (Wall. ex DC.) C. B. Clarke 768
—— *thorelii* Gagnep. 769
—— *velutina* Kerr 770
—— *wightii* C. B. Clarke 767
Liparis 353, 359
—— *ascendens* P. J. Cribb †357, *358
—— *deistelii* Kraenzl. 357, 359
—— *suborbicularis* Summerh. 359
Lock, J. M. *Reviewer.* Alien plants of the British Isles, by E. J. Clement, M. C. Foster & D. H. Kent 611
Loganiaceae: Mitreola minima (Loganiaceae), a new species from Western Australia, Barry J. Conn 169
Loganiaceae 169
Lomandra Labill. 670, 671, 676
—— group 671
—— *filiformis* 669
—— *hastilis* 669, *672
—— *integra* 669, *672
—— *longifolia* 669
—— *preissii* 669
—— *purpurea* 669
Lomandraceae Lotsy 667, 669, †670, 671, *672, *673, *674, *675, 676, 677
Lophomyrtus bullata is the correct name for the New Zealand ramarama, E. Nic Lughahdha 815
Lophomyrtus Burret 815, 816
—— *aotearoana* E. C. Nelson 815, 816
—— *bullata* Burret 815, †816
Loudetia simplex 359
Ludwigia ? *affinis* (DC.) Hara 496
Luer, Carlyle A.: Icones Pleurothallidinarum XI. Systematics of Lepanthes subgenus Brachycladium and Pleurothallis subgenus Aenigma, subgenus Elongata, subgenus Kraenzlinella. Monographs in Systematic Botany (Rev.) 214
Luzuriaga Ruíz & Pav. 676
Luzuriagaceae 676
—— sensu Dahlgren et al. 678
Lye, Kåre Arnstein: New species of Cyperus subgenus Bulbocaulis (Cyperaceae) from Somalia 205
Lythraceae 495

Mabberley, D. J., Pannell, C. M. & Sing, A. M.: Flora Malesiana Series 1 – Spermatophyta Volume 12 – part 1, 1995 Meliaceae (Rev.) 421
Macraea gardneriana Wight 177
Macrolobium 121, 131

Macrolobium

Macrolobium angustifolium (Benth.) Cowan 131
Macrothelypteris torresiana (Gaudich.) Ching 484
Malesia: Elaeocarpus for Flora Malesiana - notes, new taxa and combinations in sect. Elaeocarpus: 2, M. J. E. Coode 83
Malesia: Elaeocarpus for Flora Malesiana - notes, new taxa and combinations in the Acronodia group, M. J. E. Coode 267
Malesia: Elaeocarpus for Flora Malesiana: the 'Polystachyus' group, M. J. E. Coode 649
Malesia: New species of Dinochloa (Gramineae - Bambusoideae) in Malesia and notes on the genus, Soejatmi Dransfield 103
Malus 188, 190
Malvaceae 491
Maniltoa Scheff. 596
Manisuris myuros L. 155
Mapania: New taxa and combinations in Mapania (Cyperaceae) from South America, D. A. Simpson 729
Mapania 729, 730
—— Aubl. sect. *Mapaniopsis* D. A. Simpson †734, 735
—— sect. *Pycnocephala* 730
—— sect. *Thoracostachyum* 734
—— *aturensis* D. A. Simpson †730, *731
—— *baldwinii* Nelmes 730
—— *effusa* (C. B. Clarke) T. Koyama 734, †736, 737, 738
—— *micrococca* (T. Koyama) D. A. Simpson 736, †737, 738, 740
—— *pedunculata* D. A. Simpson †732, *735
—— *rionegrensis* D. A. Simpson †732, *733, 734
—— *tepuiana* (Steyerm.) T. Koyama 732
—— *theobromina* D. A. Simpson 736, †738, *739, 740
Mapaniopsis C. B. Clarke 729, 730, 734
—— *effusa* C. B. Clarke 729, 736
—— *micrococca* T. Koyama 729, 737
Margaretta: Infraspecific variation in the African genus Margaretta (Asclepiadaceae: Asclepiadoideae), M. Mwanyambo 717
Margaretta Oliv. 717-719, *720, 721-723, †*724
—— *cornetii* Dewèvre 717, 718, 727
—— —— var. *pallida* De Wild. 718, 727
—— *decipiens* Schltr. 718, 727
—— *distincta* N. E. Br. 717
—— *holstii* K. Schum. 717, 718, 727
—— *inopinata* 718, 722
—— *ledermanii* 717, 722
—— *ledermannii* var. *foliosa* 718, 722
—— *orbicularis* N. E. Br. 717, 718, 727
—— *passargei* 718, 722
—— *pulchella* Schltr. 718, 727
—— *rosea* Oliv. 717, †724
—— —— subsp. *bidens* Bullock 718, 719, *720, 721-723, 725, †727
—— —— subsp. *rosea* 717-719, *720, 721-723, †725
—— —— subsp. *whytei* (K. Schum.) M. Mwanyambo 719, *720, 721-723, 725, †726
—— *verdickii* De Wild. 718, 727
—— *whytei* K. Schum. 717, 726
Margaritaria nobilis L. f. 497
Marsdenia 696
Mastichodendron 493
Mathew, P. J., Dan, Mathew, Unnithan, C. M. & Pushpangadan, P.: Thottea abrahamii a new species of Aristolochiaceae from Peninsular India 179

Matthew

Matthew, K. M.: The distribution of the little-known and rare Derris ovalifolia (Leguminosae : Papilionoideae) extended 561
Matthew, K. M.: Handbook of the Anglade Institute of Natural History, Shembaganur (Notice) 431
McClaren, Mitchel P. & Van Devender, Thomas R. (Eds.): Desert Grassland (Notice) 832
McLeish, I., Pearce, N. R. & Adams, B. R.: Native Orchids of Belize (Rev.) 423
Melaleuca thymoides 170
Melastomataceae: Polysporangiate anthers: described for the first time in Melastomataceae, J. F. A. Baumgratz, M. L. D. R. Souza, E. M. Woodgyer & E. M. Nic Lughadha 133
Melastomataceae 133, 134, 138, 141, 142, 690
—— tribe *Microlicieae* 133, 134, 142
Meliaceae: The identity of Naregamia Wight & Arn. (Meliaceae), Martin Cheek 716
Melipona sp. 690
Meliponini 690
Melocalamus 566
Menabea: Do Menabea venata & Secamonopsis madagascariensis represent missing links between Periplocaceae, Secamonoideae and Marsdenieae (Asclepiadaceae)?, Ralf Omlor 695
Menabea 696, 701, 703, 707, 709-712
—— *venenata* Baill. 696, 697, *698, 699, *700, 702, 703, 711, 712
Mendoravia dumaiana Capuron 128
Menispermaceae: A new species of Hypserpa (Menispermaceae) from New Caledonia, L. L. Forman 549
Metarungia Baden 10
Metastelma 500
—— *palustre* (Pursh) Schltr. 500
—— *picardae* Schltr. 500
Meve, Ulrich: A new species of Tylophora (Asclepiadaceae) from West Tropical Africa 585
Miconia sp. 683
Microlicia 134, 138, 140-142
—— *agrestis* (DC.) Cogn. 136, 140
—— *aurea* Wurdack 136, 138, 140
—— *balsamifera* (DC.) Mart. *135, 136, 138, 140
—— *chrysantha* Wurdack 136, 138, 140
—— *comparilis* Wurdack 134
—— *confertiflora* Naudin 136, 140
—— *cupressina* D. Don 136, 140
—— sp. aff. *curralensis* Brade 136, 140
—— *fasciculata* Mart. ex Naudin 136, 138, 140
—— *fulva* (Spreng.) Cham. 136, 140
—— *harleyi* Wurdack 136, 140
—— *isostemon* Wurdack 134, 136, 140
—— *luetzelburgii* Markgr. *135, 136, 138, 140
—— *minima* Markgr. 136, 138, 140
—— —— var. *aristifera* Markgr. 136, 140
—— *monticola* Wurdack 136, 140
—— *morii* Wurdack 136, 140
—— *sincorensis* (DC.) Mart. 136, 138, 140
—— *subaequalis* Wurdack 134, 136, 138, 140
—— *subalata* Wurdack 134, 136, 140
—— *subsetosa* DC. 136, 140
—— *viminalis* (DC.) Triana 136, 140
Middleton, David J.: A revision of Aganosma (Blume) G. Don (Apocynaceae) 455
Mimusops 304
Mitrasacme 169

Mitreola

Mitreola minima (Loganiaceae), a new species from Western Australia, Barry J. Conn 169
Mitreola 169, 172
—— *minima* B. J. Conn †169, 170, *171, 172, 173
—— *pedicellata* Benth. 172
—— *petiolata* (J. F. Gmel.) Torr. & A. Gray 172
—— *sessilifolia* (J. F. Gmel.) G. Don 172, 173
—— *sphaerocarpa* (Leenh.) Leenh. 172
—— *turgida* 172, 173
Moluccas: A new name for a Moluccan species of Dendrobium Sw. (Orchidaceae), P. J. Cribb 380
Monechma 10
Monocera cyrtostachya Miq. 288, 290
—— *ferruginea* Jack 280
Monoceras ? *cyrtobotryum* Miq. 290
Monocladus L. C. Chia, H. L. Fung & Y. L. Yang 565-567
—— *amplexicaulis* L. C. Chia, H. L. Fung & Y. L. Yang 565, 568
—— *levigatus* L. C. Chia, H. L. Fung & Y. L. Yang 565, 568
—— *megalothyrsus* 566
—— *parviflosculus* W. T. Lin 565, 566
—— *saxatilis* L. C. Chia, H. L. Fung & Y. L. Yang 565-567
—— *solidus* (C. D. Chu & C. S. Chao) L.C. Chia, H. L. Fung & Y. L. Yang 565, 568
Montiniaceae: A reappraisal of the Grevea (Montiniaceae) growing on the Kenyan coast, B. Verdcourt 821
Mordak, H., Davis, A. P. & Jury, S. L.: Taxonomic status of three Caucasian snowdrops: Galanthus alpinus Sosn., G. bortkewitschianus Koss and G. caucasicus (Baker) Grossh. 741
More on Pseudocroton tinctorius Müll. Arg., A. Radcliffe-Smith 384
Mori, Scott A. *Reviewer.* Flora of the Pico das Almas. Chapada Diamantina, Bahia, Brazil, by B. L. Stannard (Ed.) 427
Muasya, A. M. & Simpson, D. A.: A new species of Kyllinga (Cyperaceae) from Kenya 183
Murchisonia Brittan 670, 676
Mwanyambo, M.: Infraspecific variation in the African genus Margaretta (Asclepiadaceae: Asclepiadoideae) 717
Myrtaceae 495, 815, 816
—— subtribe *Myrciinae* 816
—— subtribe *Myrtinae* 816
Myrtales 141
Myrtus 815, 816
—— *aotearoana* (E. C. Nelson) E. C. Nelson 816
—— *bullata* Salisb. 815, 816
—— —— Sol. ex A. Cunn. 815, 816

Narasimhan, D., Ravichandran, P., Krishnan, S., Samson, N. P., Subbiah, V. R. & Azhakanandam, K.: Eragrostis dayanandanii – a new grass from Tamil Nadu, India 155
Naregamia Wight & Arn. 716
—— *africana* (Welw.) Exell 716
—— *alata* Wight & Arn. 716
—— —— var. *africana* Welw. 716
Nastus tjankorreh Schultes 104
Naucoria P. Kumm. 795
Nectria (Fr.) Fr. 193
Neesiella Sreem. 554, 555
Neoregnellia cubensis Urb. 491

Neottiellia

Neottiellia crozalsiana Grelet 193
Nephrolepis exaltata (L.) Schott 484
Neurotheca loeselioides (Spruce ex Progel) Baill. 582
New Aloe taxa in the Flora Zambesiaca area, Susan Carter 777
New Caledonia: A new species of Hypserpa (Menispermaceae) from New Caledonia, L. L. Forman 549
New circumscriptions and a new family of asparagoid lilies: genera formerly included in Anthericaceae, Mark W. Chase, Paula J. Rudall & John G. Conran 667
A new combination in Ampelocalamus and notes on A. patellaris (Gramineae: Bambusoideae), Dhe-Zu Li, C. M. A. Stapleton & Jia-Rong Xue 809
New combinations in African Sapindaceae, I. Friis, B. Verdcourt & K. Vollesen 802
New combinations in Gomphocarpus R. Br. and Pachycarpus E. Mey. (Asclepiadaceae), D. J. Goyder 798
New combinations in Northern Eurasian Leguminosae - Papilionoideae, Yu. R. Roskov & A. K. Sytin 376
New Guinea: Bridelia (Euphorbiaceae) in New Guinea with a description of a new species, S. Dressler 601
A new large-fruited variety of Acacia polyphylla (Leguminosae : Mimosoideae) from Brazil, G. P. Lewis 591
A new name and new combinations in the Euphorbiaceae - Euphorbiinae, A. Radcliffe-Smith & R. Govaerts 542
A new name for a Moluccan species of Dendrobium Sw. (Orchidaceae), P. J. Cribb 380
A new name in Habenaria (Orchidaceae), I. F. la Croix 364
New names and combinations in Euphorbiaceae - Phyllanthoïdeae, R. Govaerts & A. Radcliffe-Smith 175
A new Piranhea from Brazil, and the subsumption of the genus Celaenodendron (Euphorbiaceae - Oldfieldioideae), A. Radcliffe-Smith & J. A. Ratter 543
New Polystachya species (Orchidaceae) from tropical West and South-central Africa, P. J. Cribb & I. la Croix 571
New species and records of Orchidaceae from West Africa, P. J. Cribb 353
A new species of Angraecum (Orchidaceae) from South Central Africa, G. Williamson 557
New species of Cyperus subgenus Bulbocaulis (Cyperaceae) from Somalia, Kåre Arnstein Lye 205
New species of Dinochloa (Gramineae - Bambusoideae) in Malesia and notes on the genus, Soejatmi Dransfield 103
New species of Habenaria (Orchidaceae) from Ethiopia, S. Thomas & P. J. Cribb 145
A new species of Hypserpa (Menispermaceae) from New Caledonia, L. L. Forman 549
A new species of Kyllinga (Cyperaceae) from Kenya, D. A. Simpson & A. M. Muasya 183
A new species of Tylophora (Asclepiadaceae) from West Tropical Africa, Ulrich Meve 585
A new species of Ziziphus (Rhamnaceae) from Kenya, H. J. Beentje 197
New taxa and combinations in Mapania (Cyperaceae) from South America, D. A. Simpson 729

New Zealand

New Zealand: Lophomyrtus bullata is the correct name for the New Zealand ramarama, E. Nic Lughahdha 815
Nic Lughadha, E. M., Baumgratz, J. F. A., Souza, M. L. D. R. & Woodgyer, E. M.: Polysporangiate anthers: described for the first time in Melastomataceae 133
Nic Lughahdha, E.: Lophomyrtus bullata is the correct name for the New Zealand ramarama 815
North America: Lackeya, a new genus in the tribe Phaseoleae subtribe Diocleinae (Leguminosae - Papilionoideae) from North America, R. H. Fortunato, L. P. de Queiroz & G. P. Lewis 365
Northern Eurasia: New combinations in Northern Eurasian Leguminosae - Papilionoideae, Yu. R. Roskov & A. K. Sytin 376
Notes on African Euphorbiaceae XXX: Phyllanthus (V) & c., A. Radcliffe-Smith 301
Notes on Brachystephanus (Acanthaceae), Estrela Figueiredo & Stephen L. Jury 753
Notes on British Octosporella with a new genus, Filicupula (Pezizales), Y.-J. Yao & B. M. Spooner 196
Notes on British species of Tympanis (Leotiales) with T. prunicola new to Britain, Y.-J. Yao & B. M. Spooner 187
Notes on Sphaerosporella (Pezizales), with reference to British records, Y.-J. Yao & B. M. Spooner 385
Notes on Sri Lankan Acanthaceae, L. H. Cramer 553
Notes on Stuhlmannia Taub. and the correct placement of Caesalpinia insolita (Leguminosae - Caesalpinioideae - Caesalpinieae, G. P. Lewis 377
Nuytsia floribunda 170
Nyctaginaceae 483, 490
Nymphaea amazonum Mart. & Zucc. 507
Nymphaeaceae 507

Ochlandra travancoria Gamble 181
Ocimum: Taxonomic problems and cytotaxonomic relationships between and within varieties of Ocimum basilicum and related species (Labiatae), A. Paton & E. Putievsky 509
Ocimum 509, 510
—— sect. *Hierocymum* Benth. 510
—— sect. *Ocimum* subsect. *Gratissima* 522
—— sect. —— subsect. *Ocimum* 510
—— group *"Basilicum"* 510
—— group *Sanctum* 510
—— *americanum* L. 509-511, 513, 522
—— —— sensu A. J. Paton 510, 511
—— —— sensu Pushpangadan & Sobti 509, 511, 513
—— —— var. *americanum* 510, 511
—— —— var. *pilosum* (Willd.) A. J. Paton 510, 513
—— *basilicum* cv. Dark Opal 514, 515, 517, 519-522
—— —— L. 509-511, 513-516, 520-523
—— —— var. *album* Benth. 513
—— —— var. *anisatum* Benth. 513, 514
—— —— var. *basilicum* *512, 513, 515-518, 520, 521
—— —— var. *crispum* (Thunb.) E. A. Camus 514
—— —— var. *densiflorum* Benth. 513
—— —— var. *difforme* Benth. *512, 514, 515, 519-522
—— —— var. *glabratum* Benth. 513
—— —— var. *lactucaefolium* sensu Darrah 513
—— —— var. *majus* Benth. 513
—— —— var. *pilosum* Benth. 513
—— —— var. *purpurascens* Benth. 513-515, 517, 519-522

Ocimum

Ocimum basilicum var. *thyrsiflorum* (L.) Benth. 513, 514
—— *canum* Sims 509-511, 513
—— × *citriodorum* Vis. 509-511, *512, 513-516, 519, 521, 522
—— *dichotomum* Hochst. ex Benth. in DC. 513
—— *forskolei* Benth. 510, 511
—— *kilimandscharicum* Baker ex Gürke 510
—— *minimum* L. 509, 510, 512, 514-516, 519, 521, 522
—— *sanctum* L. 510, 514
—— *tenuiflorum* L. 509, 510, 514-517, 519, 521, 522
Octospora Hedw. 194
Octosporella: Notes on British Octosporella with a new genus, Filicupula (Pezizales), Y.-J. Yao & B. M. Spooner 196
Octosporella Döbbeler 193, 194, 196
—— *jungermanniarum* (P. Crouan & H. Crouan) Döbbeler 193, 194, *195, 196
—— *suboperculata* (Döbbeler & P. James) Döbbeler 193, 194
Oeceoclades maculata (Lindl.) Lindl. 488
Ogisu, Mikinori: Epimedium campanulatum (Berberidaceae), a new Chinese spurless species from Sichuan 401
Oldfieldia 304
—— *somalensis* (Chiov.) Milne-Redh. 304
—— sp. 304
Olea acuminata Wall. ex G. Don 768
—— *europaea* subsp. *cuspidata* 531
—— *linocieroides* Wight 767
—— *terniflora* (Wall. ex G. Don) Kurz 768
Oleaceae: Taxonomic notes on Asiatic Chionanthus (Oleaceae), P. S. Green 765
Oleaceae 483, 501, 765, 769
Olinia 141
Omlor, Ralf: Do Menabea venata & Secamonopsis madagascariensis represent missing links between Periplocaceae, Secamonoideae and Marsdenieae (Asclepiadaceae)? 695
Onagraceae 141, 496
Orchard, Anthony E. (Executive Ed.): Flora of Australia Vol. 55 Lichens – Lecanorales 2, Parmeliaceae (Rev.) 620
Orchidaceae: A new name for a Moluccan species of Dendrobium Sw. (Orchidaceae), P. J. Cribb 380
Orchidaceae: A new name in Habenaria (Orchidaceae), I. F. la Croix 364
Orchidaceae: New Polystachya species (Orchidaceae) from tropical West and South-central Africa, P. J. Cribb & I. la Croix 571
Orchidaceae: New species and records of Orchidaceae from West Africa, P. J. Cribb 353
Orchidaceae: A new species of Angraecum (Orchidaceae) from South Central Africa, G. Williamson 557
Orchidaceae: New species of Habenaria (Orchidaceae) from Ethiopia, S. Thomas & P. J. Cribb 145
Orchidaceae 145, 353, 483, 487, 571, 690
Oryza barthii 632
Osmanthus fragrans Lour. 768
Otideaceae 194
Owens, S. J. & Lewis, G. P.: Stigma morphology in the Leguminosae: the wet, papillate (WP) stigma in Caesalpinioideae 119
Oxalidaceae 483, 498
Oxalis corniculata L. 498
Ozymum citratum Rumph. 513

Pachycarpus

Pachycarpus: New combinations in Gomphocarpus R. Br. and Pachycarpus E. Mey. (Asclepiadaceae), D. J. Goyder 798
Pachycarpus 798
—— *bisacculatus* (Oliv.) Goyder †798
—— *distinctus* (N. E. Br.) Bullock 717
—— *petherickianus* (Oliv.) Goyder †798
Pachynocarpus umbonatus Hook. f. 294
Pachystigma 343, 346-349
—— subgen. *Eupachystigma* Robyns 348
—— subgen. *Pseudopachystigma* Robyns 348
—— *macrocalyx* (Sond.) Robyns 346, 348
—— *pygmaeum* (Schltr.) Robyns 348
—— *rhodesianum* (S. Moore) Robyns 348
—— *triflorum* Robyns 346, 348
—— *venosum* Hochst. 348
Paivaeusa orientalis Mildbr. 304
Paradisea Mazzuc. 669, 670
Paramacrolobium coeruleum (Taub.) J. Léonard 131
Parepigynum 481
—— *funingense* Tsiang & P. T. Li 481
Parinari 273
—— *excelsa* 359
Parodiodendron 546
Parris, B. S. *Reviewer*: Hong Kong Ferns. Hong Kong Flora and Fauna Series, by M. L. So 217
Parsonsia alboflavescens (Dennst.) Mabb. 481
—— *curvisepala* K. Schum. 481
Pasithea D. Don 677
Pasquet, R. & Verdcourt, B.: The identity of Dolichos ufiomensis Heering (Leguminosae - Papilionoideae - Phaseoleae) 332
Patellocalamus 809
—— *mianningensis* (Q. Li & X. Jiang) T. P. Yi 812
—— *patellaris* (Gamble) W. T. Lin 811
Paton, A. & Putievsky, E.: Taxonomic problems and cytotaxonomic relationships between and within varieties of Ocimum basilicum and related species (Labiatae) 509
Pegler, D. N.: Agarics described from Cape Province, South Africa 787
Pellionia heyneana Wedd. 181
Peltogyne paniculata Benth. 130
Peltophorum 125, 128
—— *pterocarpum* (DC.) K. Heyne 128
Pennisetum 359
Pentameria melanthesoides Baill. 302
Peperomia obtusifolia (L.) A. Dietr. 490
—— *pseudopereskiifolia* A. DC. 489
—— *simplex* Ham. 489
Periploca 707, 708
—— *graeca* L. 707-709
—— *sepium* Bunge 707
Periplocaceae: Do Menabea venata & Secamonopsis madagascariensis represent missing links between Periplocaceae, Secamonoideae and Marsdenieae (Asclepiadaceae)?, Ralf Omlor 695
Periplocaceae 695-697, 703, 705, 708-712
Periploceae 706
Peristrophe Nees 1, 2, 5, 7, *8, 10
—— *bicalyculata* (Retz.) Nees 5, 49
—— *cernua* Nees 39
—— —— sensu Compton 35
—— *maculata* Hochst. 53
—— *montana* Nees 2
Perrine, John D. & Gorchov, David L.: "El Cielo" Biosphere Reserve, Tamaulipas, Mexico: An

Perrine

Annotated Bibliography of the Botanical Literature (Notice) 832
Petalidium Nees 10
Petronymphe H. E. Moore 669, 670
Peucedaneae 233
Peziza 389
—— *arenicola* Lév. 382
—— *brunnea* Alb. & Schwein. 386, 387, 389
—— *confusa* Cooke 386-389
—— *hinnulea* Berk. & Broome 387-389
—— *porphyra* Berk. & M. A. Curtis 390
—— *schizospora* W. Phillips 387, 388
—— *scutelloides* Ellis 390
—— *sepulta* Fr. 381, 382
—— *sphaeroplea* Berk. & M. A. Curtis 389
Pezizales: Geopora sepulta (Pezizales) in Britain, with a key to British species of the genus, Y.-J. Yao & B. M. Spooner 381
Pezizales: Notes on British Octosporella with a new genus, Filicupula (Pezizales), Y.-J. Yao & B. M. Spooner 196
Pezizales: Notes on Sphaerosporella (Pezizales), with reference to British records, Y.-J. Yao & B. M. Spooner 385
Phaulopsis Willd. 10
Philesia Comm. ex Juss. 676
Philesiaceae 670, 676
Philippia 306, 557
—— *myrica* 448
Phillips, Sylvia M.: Eriocaulon schimperi (Eriocaulaceae) and some related species in Eastern Africa 333
Phillips, Sylvia M.: Some new African taxa of Eriocaulon, with notes on their systematic position 625
Philodendron hederaceum (Jacq.) Schott 487
—— sp. aff. *scandens* 487
Phoenix 484
Phormiaceae 677, 678
Phormium J. R. Forst. & G. Forst. 677, 678
Phyllanthodendron Hemsl. 176
—— *breyniodes* P. T. Li 176
—— *caudatifolium* P. T. Li 177
—— *chevalieri* (Gagnep.) Airy Shaw 176
—— *lativenium* Croizat 177
—— *orbicularifolium* P. T. Li 177
—— *petraeum* P. T. Li 176
—— *yunnanense* Croizat 178
Phyllanthus: Notes on African Euphorbiaceae XXX: Phyllanthus (V) & c., A. Radcliffe-Smith 301
Phyllanthus L. 176, 305, 315
—— subgen. *Isocladus* G. L. Webster 313, 320, 323
—— subgen. *Kirganelia* (Juss.) G. L. Webster 309, 311, 312, 325
—— subgen. *Phyllanthus* 305
—— *amarus* Schumach. & Thonn. 308, 311, 327
—— *andamanicus* N. P. Balakr. & N. G. Nair 176
—— *arachnodes* Govaerts & Radcl.Sm. 175
—— *arvensis* Müll. Arg. 326, 327
—— *balakrishnairii* Govaerts & Radcl.-Sm. 176
—— *bernierianus* Baill. ex Müll. Arg. 305, 306
—— —— var. *glaber* Radcl.-Sm. †305
—— *boehmii* Pax 328
—— *breyniodes* (P. T. Li) Govaerts & Radcl.-Sm. 176
—— *burchellii* Müll. Arg. 318
—— *camerunensis* Jean F. Brunel 325
—— *capillaris* Schumach. & Thonn. 316
—— *carunculatus* Jean F. Brunel 318

Phyllanthus

Phyllanthus caudatifolius Merr. 177
—— *cedrelifolius* Verdoorn 318
—— *ceratostemon* Brenan 307, 308
—— *chandrabosei* Govaerts & Radcl.-Sm. 176
—— *chevalieri* (Gagnep.) G. L. Webster 176
—— × *collinum-misuku* 306
—— *confusus* Brenan 317
—— *delpyanus* Hutch. 318
—— *distichus* Hook. & Arn. 176
—— —— var. *degeneri* (Sherff) Govaerts & Radcl.-Sm. 176
—— —— var. *ellipticus* (Müll. Arg.) Govaerts & Radcl.-Sm. 176
—— *eliae* (Brunel & J. P. Roux) Brunel ex Govaerts & Radcl.-Sm. 176
—— *engleri* Pax 306, 318
—— *floribundus* (Baill.) Müll. Arg. 178
—— × *fluminis-sabi* Radcl.-Sm. †306
—— × *fluminis-zambesi* Radcl.-Sm. 306
—— *fraternus* G. L. Webster 307
—— *garipensis* E. Mey. ex Drège 318
—— *geniculatostemon* Jean F. Brunel 307
—— *gilletii* De Wild. 308
—— *gillettianus* Jean F. Brunel 306
—— —— Jean F. Brunel ex Radcl.-Sm. †306
—— *goniostemon* Radcl.-Sm. †307
—— *graminicola* Hutch. 325
—— *guangxiensis* Govaerts & Radcl.-Sm. 176
—— *hesperonotus* Govaerts & Radcl.-Sm. 177
—— *hortensis* Govaerts & Radcl.-Sm. 177
—— *klainei* Hutch. 318
—— *lativenius* (Croizat) Govaerts & Radcl.-Sm. 177
—— *leucanthus* Pax 327
—— *leucocalyx* Hutch. 325
—— *lii* Govaerts & Radcl.-Sm. 177
—— *loandensus* Welw. ex Müll. Arg. 309
—— *macranthus* Pax in Engl. 308
—— —— var. *gilletii* (De Wild.) Jean F. Brunel 308
—— —— var. —— (De Wild.) Jean F. Brunel ex Radcl.-Sm. †308
—— —— var. *macranthus* 308
—— *maderaspatensis* L. 313, 320
—— *mafingensis* Radcl.-Sm. †308, *310
—— *mahengeaensis* Jean F. Brunel 325
—— *makitae* Jean F. Brunel 325
—— *manicaënsis* Jean F. Brunel ex Radcl.-Sm. †309, 311, *314, 325, 326
—— *martinii* Radcl.-Sm. †311
—— *mendesii* Jean F. Brunel 312
—— —— Jean F. Brunel ex Radcl.-Sm. †312, *314
—— *mendonçae* Jean F. Brunel 313
—— —— Jean F. Brunel ex Radcl.-Sm. †313
—— *microdendron* Welw. ex Müll. Arg. †315
—— —— var. *asper* Radcl.-Sm. †315
—— *micromeris* Radcl.-Sm. 315, 316
—— —— var. *micromeris* †316
—— —— var. *mughessensis* Radcl.-Sm. †316
—— —— var. *sesbanoides* Radcl.-Sm. †316
—— *mozambicensis* Gand. 317
—— *muelleranus* (Kuntze) Exell 178, 306
—— *nigericus* Brenan 325
—— *niruroides* Müll. Arg. 322, 325
—— —— sensu Radcl.-Sm. 322
—— *nummulariifolius* var. *capillaris* (Schumach. & Thonn.) Radcl.-Sm. †316
—— *nummulariifolius* Poir. 311, 316
—— *nyikae* Radcl.-Sm. †317

Phyllanthus

Phyllanthus obliquus Wall. ex Hook. f. 178
—— *omahakensis* Dinter & Pax 318, 319
—— *orbicularifolius* (P. T. Li) Govaerts & Radcl.-Sm. 177
—— *ovalifolius* 306
—— *ovatus* Desf. 177
—— —— Poir. 177
—— *parvulus* Sond. 311, 317, 318
—— —— var. *garipensis* (E. Mey. ex Drège) Radcl.-Sm. †317
—— —— var. *parvulus* †317
—— *parvus* Hutch. 323, 325
—— *pentandrus* Schumach. & Thonn. 312
—— *petraeus* A. Chev. & Beille ex Beille 177
—— *pierlotii* Jean F. Brunel 325
—— *pinnatus* (Wight) G. L. Webster 177
—— *polyanthus* Pax in Engl. 306, 318
—— *polycladus* W. Fitzg. 177
—— *pseudocarunculatus* Radcl.-Sm. *310, †318
—— *pseudoniruri* Müll. Arg. 306, 307, 328
—— —— sensu Radcl.-Sm. 306
—— *purpureus* Müll. Arg. 319
—— *pusillus* Jean F. Brunel 326
—— *reticulatus* Poir. 306, 319
—— —— var. *glaber* (Thwaites) Müll. Arg. 306, 319, 320
—— —— var. *orae-solis* Radcl.-Sm. †319
—— *rubriflorus* Beille 177
—— *rubristipulus* Govaerts & Radcl.-Sm. 177
—— *sandwicensis* 176
—— —— var. *degeneri* Sherff 176
—— —— var. *ellipticus* Müll. Arg. 176
—— *sarothamnoides* Govaerts & Radcl.-Sm. 177
—— *scoparius* Müll. Arg. 177
—— *serandii* Jean F. Brunel 325
—— *serpentinicola* Radcl.-Sm. †320, *321, 323
—— *simplex* Retz. var. *gardnerianus* (Wight) Müll. Arg. 177
—— *stipulaceus* (Gamble) Kumari & Chandrab. 176
—— *sublanatus* subsp. *eliae* Brunel & J. P. Roux 176
—— *tanzaniana* Jean F. Brunel 308
—— *taylorianus* Jean F. Brunel 322
—— —— Jean F. Brunel ex Radcl.-Sm. 312, †322, 323, 325
—— *tenellus* Roxb. 311, 312, 497
—— —— var. *garipensis* (E. Mey. ex Drège) Müll. Arg. 318
—— *tener* Radcl.-Sm. *321, †323
—— *tenuis* Radcl.-Sm. †323, *324
—— *tsetserrae* Jean F. Brunel 311, 325, 326
—— —— Jean F. Brunel ex Radcl.-Sm. *314, †325
—— *tukuyuanus* Jean F. Brunel 325
—— *udoricola* Radcl.-Sm. †326, *329
—— *verdickii* De Wild. 325
—— *virgatus* var. *gardnerianus* (Wight) Govaerts & Radcl.-Sm. 177
—— *wightianus* Müll. Arg. 177
—— *xiphephorus* Jean F. Brunel ex Radcl.-Sm. *324, †327
—— *xiphophorus* Jean F. Brunel 327
—— *yunnanensis* (Croizat) Govaerts & Radcl.-Sm. 178
—— *zambicus* Radcl.-Sm. *324, †328
—— *zornioides* Radcl.-Sm. †328, *329
—— sp. *2* Brenan 317
Phyllocarpus riedellii Tul. 131
Physetobasis 481

Physetobasis

Physetobasis macrocarpa Hassk. 480
Picrodendron 546
Piliostigma 130
Pilostyles globosa (S. Watson) Hemsl. 497
Pimenta 495
—— *dioica* (L.) Merr. 495
Pinanga dicksonii Blume 181
Pinellia Tenore 65
Pinus 190
Piperaceae 489
Piptadenia 591
Piranhea: A new Piranhea from Brazil, and the subsumption of the genus Celaenodendron (Euphorbiaceae - Oldfieldioideae), A. Radcliffe-Smith & J. A. Ratter 543
Piranhea Baill. 543, 546
—— *longepedunculata* Jabl. 543, 546, 547
—— *mexicana* (Standl.) Radcl.-Sm. 543, 546, 547
—— *securinega* Radcl.-Sm. & Ratter †543, *545, 547
—— *trifoliolata* Baill. 543, 544, 546, 547
—— —— var. *pubescens* Radcl.-Sm. †547
Pisonia sp. nov. 483, 490
Pitcairnia 582
—— *feliciana* (A. Chev.) Harms & Mildbr. 582
Pithecellobium 591
Plagiochila asplenioides (L.) Dumort. 193
Plagiosiphon Harms 596
Pluchea carolinensis (Jacq.) G. Don 503
—— *symphytifolia* (Mill.) Gillis 503
Podocarpus 443, 557
Poeppigia 121, 128
—— *procera* Presl. 128
Polemannia Eckl. & Zeyh. 225, 228, *229, 234, 236, 263
—— *simplicior* *229
Polemanniopsis B. L. Burtt 225, 228, 234, 236
Polygalaceae 499
Polygonaceae 507
Polygonum hydropiperoides Michx. 507
Polypodiaceae 484
Polypodium aureum L. 485
—— *decumanun* Willd. 485
—— *pseudoaureum* Cav. 485
Polysporangiate anthers: described for the first time in Melastomataceae, J. F. A. Baumgratz, M. L. D. R. Souza, E. M. Woodgyer & E. M. Nic Lughadha 133
Polystachya: New Polystachya species (Orchidaceae) from tropical West and South-central Africa, P. J. Cribb & I. la Croix 571
Polystachya 571, 577
—— sect. *Affines* 575, 577
—— sect. *Calluniflora* 571, 573
—— sect. *Caulescentes* 573, 575
—— *anthoceros* la Croix & P. J. Cribb †571, *572
—— *armeniaca* la Croix & P. J. Cribb †573, *574, 575
—— *calluniflora* Kraenzl. 571, 573
—— *concreta* (Jacq.) Garay & H. R. Sweet 488
—— *hastata* Summerh. 571, 573
—— *johnstonii* Rolfe 575, 577
—— *laxiflora* Lindl. 573, 575
—— *valentina* la Croix & P. J. Cribb †575, *576
—— *zambesiaca* Rolfe 575, 577
Pongamia ovalifolia Wight & Arn. 561
Populus 189, 190
Porembski, S., Dörrstock, S., Seine, R. & Barthlott, W.: First record of the American Utricularia juncea from Africa 579

Pothos

Pothos grandis (Araceae) – Corrections, Peter C. Boyce & Nguyen Van Dzu 392
Prance, G. T. *Reviewer*: Biodiversity and Conservation of Neotropical Montane Forests, by Steven P. Churchill, Henrik Balslev, Enrique Forero & James L. Luteyn 609
Prendergast, Grace. *Reviewer*: Atlas of Orchid Pollination: European Orchids, by N. A. van der Cingel 826
Prescottia oligantha 488
Pridgeon, Alec M. *Reviewer*: Native Orchids of Belize, by I. McLeish, N. R. Pearce & B. R. Adams 423
Pridgeon, Alec M. *Reviewer*: Orchid Flora of Puerto Rico and the Virgin Islands, by James D. Ackerman 209
Proctor, George R.: Additions and corrections to "Flora of the Cayman Islands" 483
Prunus 190
—— *avium* 188
—— sp. 187, 188
Psathyrella (Fr.) Quél. 792
—— subgen. *Psathya* (Fr.) Singer ex Kits van Wav. 792
—— sect. *Hydrophilae* (Romagn.) Singer 792
—— *lionella* A. Pearson ex Pegler *789, †791
Pseudocarum eminii (Engl.) H. Wolff 260
Pseudocroton: More on Pseudocroton tinctorius Müll. Arg., A. Radcliffe-Smith 384
Pseudocroton 384
—— *tinctorius* Müll. Arg. 384
Pseudonectria Seaver 193
—— *suboperculata* Döbbeler & P. James 194
Psidium guajava 501
Psilocybe (Fr.) P. Kumm. 792, 793
Psychotria 503
—— *microdon* (DC.) Urb. 502
Pterochlamys Roberty 526
—— *somalensis* (Engl.) Roberty 526, 536
Pushpangadan, P., Dan, Mathew, Mathew, P. J. & Unnithan, C. M.: Thottea abrahamii a new species of Aristolochiaceae from Peninsular India 179
Putievsky, E. & Paton, A.: Taxonomic problems and cytotaxonomic relationships between and within varieties of Ocimum basilicum and related species (Labiatae) 509

Queiroz, L. P. de, Fortunato, R. H. & Lewis, G. P.: Lackeya, a new genus in the tribe Phaseoleae subtribe Diocleinae (Leguminosae - Papilionoideae) from North America 365
Quercus 190, 282
—— *incana* 719

Radcliffe-Smith, A.: More on Pseudocroton tinctorius Müll. Arg. 384
Radcliffe-Smith, A.: Notes on African Euphorbiaceae XXX: Phyllanthus (V) & c. 301
Radcliffe-Smith, A.: Reinstatement of Euphorbia duclouxii 102
Radcliffe-Smith, A.: A second species of Aristogeitonia (Euphorbiaceae) for Tanzania 799
Radcliffe-Smith, A. & Govaerts, R.: A new name and new combinations in the Euphorbiaceae - Euphorbiinae 542
Radcliffe-Smith, A. & Govaerts, R.: New names and combinations in Euphorbiaceae - Phyllanthoïdeae 175

Radcliffe-Smith

Radcliffe-Smith, A. & Ratter, J. A.: A new Piranhea from Brazil, and the subsumption of the genus Celaenodendron (Euphorbiaceae - Oldfieldioideae) 543
Rafflesiaceae 483, 497
Ramsbottomia W. D. Buckley 194
Rangaeris sect. *Biglandulosa* Summerh. 361
Raphionacme flanaganii Schltr. 708
Ratter, J. A. & Radcliffe-Smith, A.: A new Piranhea from Brazil, and the subsumption of the genus Celaenodendron (Euphorbiaceae - Oldfieldioideae) 543
Ravichandran, P., Krishnan, S., Samson, N. P., Subbiah, V. R., Azhakanandam, K. & Narasimhan, D.: Eragrostis dayanandanii – a new grass from Tamil Nadu, India 155
A reappraisal of the Grevea (Montiniaceae) growing on the Kenyan coast, B. Verdcourt 821
Reidia floribunda Wight 178
—— *stipulacea* Gamble 176
Reinstatement of Euphorbia duclouxii, A. Radcliffe-Smith 102
Remusatia Schott 64, 65
A revision of Aganosma (Blume) G. Don (Apocynaceae), David J. Middleton 455
A revision of the genus Heteromorpha (Apiaceae), P. J. D. Winter & B.-E. Van Wyk 225
Rhamnaceae: A new species of Ziziphus (Rhamnaceae) from Kenya, H. J. Beentje 197
Rhamnaceae 197, 497
Rhexia 133
Rhipsalis baccifera (J. S. Mill.) Stearn 582
Rhuacophila 677
Rhus gracillima Engl. 48
Rhynchospora colorata (L.) H. Pfeiff. 486
—— *stellata* (Lam.) Griseb. 486
Rhynchostigma Benth. 712
Rico Arce, M. A. de L. *Reviewer.* Flora of Chiapas, Part 4. Acanthaceae., by T. F. Daniel 612
Robertson, S. Ann. *Reviewer.* Flora of Aride Island, Seychelles, by Gillian E. Castle & Robert Mileto 209
Rochefortia acanthophora (DC.) Griseb. 501
Romnalda P. F. Stevens 670, 671
Romo, Angel M.: Flores Silvestres de Baleares (Rev.) 215
Roskov, Yu. R. & Sytin, A. K.: New combinations in Northern Eurasian Leguminosae - Papilionoideae 376
Rubiaceae: The tropical African genus Ancylanthos (Rubiaceae - Vanguerieae), D. M. Bridson 343
Rubiaceae 483, 502
—— tribe *Vanguerieae* 343, 345, 347, 349
Rudall, P., Cribb, P. J., Cutler, D. F. & Humphries, C. J.: Monocotyledons: Systematics & Evolution Volumes 1 & 2 (Rev.) 424
Rudall, Paula J., Chase, Mark W. & Conran, John G.: New circumscriptions and a new family of asparagoid lilies: genera formerly included in Anthericaceae 667
Ruellia verbasciformis, a new combination in the genus Ruellia (Acanthaceae), Cecilia Ezcurra & Daniela Zappi 819
Ruellia 819
—— sect. *Chiropterophila* 820
—— group *Dipteracanthus* 820
—— group *Physiruellia* 820

Ruellia

Ruellia verbasciformis (Nees) C. Ezcurra & Zappi †819, 820
Rungia latior Nees 555, 556
—— —— var. *latifolia* Wight ex C. B. Clarke 555, 556
—— *longifolia* Nees 555, 556
—— —— subsp. *latior* (Nees) L. H. Cramer †556
Rutaceae 498
Rytigynia 347

Sabaudiella Chiov. 525, 526, 540
—— *aloysii* Chiov. 525, 526, 539
Salix 190
Samson, N. P., Ravichandran, P., Krishnan, S., Subbiah, V. R., Azhakanandam, K. & Narasimhan, D.: Eragrostis dayanandanii – a new grass from Tamil Nadu, India 155
Sansevieria 534
Santira trimera 355
Sapindaceae: New combinations in African Sapindaceae, I. Friis, B. Verdcourt & K. Vollesen 802
Sapindaceae 498, 507
Sapindus saponaria L. 507
Sapotaceae 493
Scaevola plumieri 502
—— *sericea* Vahl 502
—— *taccada* (Gaertn.) Roxb. 502
Schefflera 361
Schizaeaceae 483, 484
Schizoglossum 717, 718, 722
—— *distinctum* (N. E. Br.) N. E. Br. 717
—— *petherickianum* Oliv. 798
Schizostachyum Nees 106, 566
—— *palawanense* Gamble 106
—— *abyssinica* 359
Schmidelia alnifolia Baker 802
Schotia 121
—— *africana* (Baill.) Keay 130
Schrire, Brian. *Reviewer.* Legumes of Northern Eurasia. A checklist., by G. P. Yakovlev, A. K. Sytin & Yu. R. Roskov 622
Scolosanthus bahamensis Britton 502
—— sp. aff. —— Britton 483, 502
Scorodophloeus Harms 595, 596
—— *fischeri* (Taub.) J. Léonard 596
—— *zenkeri* Harms 596
Scott, Thomas A. (Translator & reviser): Concise Encyclopedia of Biology (Notice) 832
Scrophulariaceae 501, 580
Scutellinia (Cooke) Lambotte 385
—— *hinnulea* (Berk. & Broome) Dennis 387
Sebsebe Demissew: The genus Cladostigma (Convolvulaceae) 405
Sebsebe Demissew: The genus Hildebrandtia (Convolvulaceae) from mainland Africa and Arabia 525
Sebsebe Demissew, Carter, Susan & Gilbert, M. G.: The identity of the Massawa Aloe 775
Secamone: The identity of Secamone gabonensis P. T. Li (Asclepiadaceae), D. J. Goyder 774
Secamone R. Br. 696, 706, 707, 709, 711-713, 774
—— *alpini* Schult. 703, 706
—— *angustifolia* Decne. 712
—— *dewevrei* De Wild. 774
—— —— De Wild. subsp. *dewevrei* 712, 774
—— *frutescens* Decne. 702, 703, 706
—— *gabonensis* P. T. Li 774

Secamone

Secamone toxocarpoides Choux 712
—— *uniflora* Decne. 712
Secamonopsis: Do Menabea venata & Secamonopsis madagascariensis represent missing links between Periplocaceae, Secamonoideae and Marsdenieae (Asclepiadaceae)?, Ralf Omlor 695
Secamonopsis 696, 702, 703, 707, 711-713, 715
—— *madagascariensis* Jum. 696, 697, *698, *700, 701, 707, 711-713, 715
—— *microphylla* Civeyrel & Klack. 715
A second species of Aristogeitonia (Euphorbiaceae) for Tanzania, A. Radcliffe-Smith 799
Seemanneralia gerrardii (Seem.) Harms 48
Seine, R., Dörrstock, S., Porembski, S. & Barthlott, W.: First record of the American Utricularia juncea from Africa 579
Senna 494
—— *ligustrina* (L.) H. S. Irwin & Barneby 494
—— *obtusifolia* (L.) H. S. Irwin & Barneby 494
—— *occidentalis* (L.) Link 494
—— *pallida* (Vahl) H. S. Irwin & Barneby var. *bahamensis* H. S. Irwin & Barneby 494
—— *uniflora* (Mill.) H. S. Irwin & Barneby 494
Sepultaria sepulta (Fr.) Massee 381
Setaria 328
Sheehan, Tom & Sheehan, Marion: Illustrated survey of Orchid genera (Rev.) 426
Shimizu, Tatemi & Umebayashi, Masayoshi: Underground organs of herbaceous Angiosperms (Rev.) 216
Sideroxylon 493
—— *foetidissimum* Jacq. 493
—— *horridum* (Griseb.) T. D. Penn. 493
—— *salicifolium* (L.) Lam. 493
Simethidaceae 678
Simethis Kunth 677, 678
—— *planifolia* 678
Simpson, D. A.: New taxa and combinations in Mapania (Cyperaceae) from South America 729
Simpson, D. A. & Muasya, A. M.: A new species of Kyllinga (Cyperaceae) from Kenya 183
Sinarundinaria 810
Sinocalamus patellaris (Gamble) T. Q. Nguyen 811
Siphonoglossa Oerst. 10
So, M. L.: Hong Kong Ferns. Hong Kong Flora and Fauna Series (Rev.) 217
Soerianegara, I. & Lemmens, R. H. M. J.: Plant Resources of South East Asia (PROSEA) No. 5 (1) Timber Trees: Major Commercial Timbers (Rev.) 218
Solanaceae 500
Solanum: The designation of a lectotype for a cultivated potato species, Solanum goniocalyx Juz. & Bukasov, Ludmilla Gorbatenko & John Hawkes 552
Solanum goniocalyx Juz. & Bukasov 552
—— *torvum* Sw. 500
Somalia: New species of Cyperus subgenus Bulbocaulis (Cyperaceae) from Somalia, Kåre Arnstein Lye 205
Some new African taxa of Eriocaulon, with notes on their systematic position, Sylvia M. Phillips 625
Sorbus 188, 190
Soriano I Tomàs, Ignasi: Plantes Vasculars del Quadrat UTM 31T DG08 Gréixer. Orca Catàlegs floristics locals 7 (Notice) 431

South Africa

South Africa: Agarics described from Cape Province, South Africa, D. N. Pegler 787
South America: New taxa and combinations in Mapania (Cyperaceae) from South America, D. A. Simpson 729
Souza, M. L. D. R., Baumgratz, J. F. A., Woodgyer, E. M. & Nic Lughadha, E. M.: Polysporangiate anthers: described for the first time in Melastomataceae 133
Sowerbaea Sm. 670, 671, 676
—— *laxiflora* 669, *674
Spermacoce confusa Rendle 503
Sphaerospora (Sacc.) Sacc. 385, 386
—— subgen. *Eusphaerospora* Svrček 385
—— subgen. *Sphaerosporella* Svrček 385, 386
—— *brunnea* (Alb. & Schwein.) Massee 385-389
—— —— f. *sordida* (Velen.) Svrček 385, 390
—— *confusa* (Cooke) Sacc. 387, 389
—— —— var. *ochracea* Rehm 389
—— *hinnulea* 386
—— *ochracea* (Rehm) Velen. 385
—— *phillipsii* Massee 389
—— *scutelloides* (Ellis) Sacc. 390
—— *sordida* Velen. 389
Sphaerosporella: Notes on Sphaerosporella (Pezizales), with reference to British records, Y.-J. Yao & B. M. Spooner 385
Sphaerosporella (Svrček) Svrček & Kubička 385, 386
—— *brunnea* (Alb. & Schwein.: Fr.) Svrček & Kubička 385, 386, †387, 388-390
—— *hinnulea* (Berk. & Broome) Rifai 386, 387, 389, 390
Spiranthes calcarata (Sw.) Jiménez 487
—— *squamulosa* (Kunth) Léon 488
Spondias mombin L. 498
—— *tuberosa* 544
Spooner, B. M. & Yao, Y.-J.: Geopora sepulta (Pezizales) in Britain, with a key to British species of the genus 381
Spooner, B. M. & Yao, Y.-J.: Notes on British Octosporella with a new genus, Filicupula (Pezizales) 196
Spooner, B. M. & Yao, Y.-J.: Notes on British species of Tympanis (Leotiales) with T. prunicola new to Britain 187
Spooner, B. M. & Yao, Y.-J.: Notes on Sphaerosporella (Pezizales), with reference to British records 385
Sporobolus pyramidatus (Lam.) Hitchc. 486
Sri Lanka: Notes on Sri Lankan Acanthaceae, L. H. Cramer 553
The Stachys aculeolata/aethiopica complex in tropical Africa, Y. B. Harvey 433
Stachys L. 433, 434
—— group *aculeolata* 434
—— group *aethiopica* L. 433, 437, 438, †446, 448, 449
—— *aberdarica* T. C. E. Fr. 439
—— *aculeolata* Hook. f. 433, 434, 437, †439, 453
—— *aculeolata/aethiopica* complex 433, 434, 437, 449
—— *aculeolata* Hook. f. var. *aculeolata* 434, 437, †440, 442, 452, 453
—— —— var. *afromontana* T. C. E. Fr. 439
—— —— var. *camerunensis* T. C. E. Fr. 439
—— —— var. *inermis* Y. B. Harv. 434, 438, †440, *441, 442, 453
—— *aethiopica* 433, 434, 442, *445
—— —— complex 434
—— —— pro parte Skan 448

Stachys

Stachys aethiopica sensu Compton 444
—— —— sensu Letty 444
—— —— var. *glandulifera* Skan 447
—— —— var. *grandiflora* Burch. ex Benth. 446
—— —— var. *hispidissima* Benth. 446
—— —— var. *parviflora* Skan 447
—— *alpigena* T. C. E. Fr. 433, 434, †442, 450
—— —— subsp. *alpigena* 438, †443
—— —— subsp. *longipetala* Sebsebe 438, †443
—— *argillicola* Sebsebe 433
—— *aspericaulis* Pax 439
—— *attenuata* Skan 447
—— *bambuseti* T. C. E. Fr. 439
—— *capensis* Presl 446
—— *didymantha* Brenan 433, 434, 437, 438, 442, *445, †448, 451
—— *fruticetorum* Briq. 447
—— *glandulibracteata* Y. B. Harv. 433, 434, 438, *441, 451, †452, 453
—— *harveyi* Skan 447
—— *hispidula* Hochst. 446
—— *leptoclada* Briq. 444
—— *lindblomiana* T. C. E. Fr. 439
—— *natalensis* 434, 448
—— —— var. *galpini* (Briq.) Codd 444
—— —— Hochst. var. *natalensis* 433, 434, 437, 442, †443, *445, 446, 449
—— *pseudohumifusa* Sebsebe 433, 434, †449, 452, 453
—— —— subsp. *minutiflora* Y. B. Harv. 437, 438, *450, †451, 452, 453
—— —— subsp. *pseudohumifusa* 437, 438, †449, *450, 451-453
—— —— subsp. *saxeri* Y. B. Harv. 437, 438, *450, †451, 452, 453
—— *pulchella* Salisb. 446
—— *rehmannii* Skan 433
—— *serrulata* Burch. ex Benth. 446
—— *sidamoenis* Gürke 439
—— *sidamoensis* f. *neumannii* T. C. E. Fr. 439
—— *subrenifolia* T. C. E. Fr. 439
—— *transvaalensis* Gürke 443
Stannard, B. L. (Ed.): Flora of the Pico das Almas. Chapada Diamantina, Bahia, Brazil (Rev.) 427
Stapleton, C. M. A., Li, Dhe-Zu & Xue, Jia-Rong: A new combination in Ampelocalamus and notes on A. patellaris (Gramineae: Bambusoideae) 809
Stapleton, Chris. *Reviewer*: Plant Resources of South East Asia No. 7 Bamboos, by S. Dransfield & E. A. Widjaja (Eds.) 418
Stawellia F. Muell. 677, 678
Stearn, William T.: Epimedium acuminatum and allied Chinese species (Berberidaceae) 393
Stenorrhyncos squamulosus (Kunth) Spreng. 488
Stephanophysum Pohl 820
Sterculia apetala (Jacq.) H. Karst. 491
Sterculiaceae 491
Steudnera Schott 65
Stigma morphology in the Leguminosae: the wet, papillate (WP) stigma in Caesalpinioideae, S. J. Owens & G. P. Lewis 119
Stropharia (Fr.) Quél. 793
—— sect. *Stropharia* 793
—— *coccinea* A. Pearson ex Pegler †792, *794
Strophariaceae 792
A study of the genus Bonia (Gramineae : Bambusoideae), N. H. Xia 565

Stuhlmannia

Stuhlmannia: Notes on Stuhlmannia Taub. and the correct placement of Caesalpinia insolita (Leguminosae - Caesalpinioideae - Caesalpinieae, G. P. Lewis 377
Stuhlmannia Taub. 377, 378
—— *moavi* Taub. †377, 378
Stypandra R. Br. 671, 677, 678
Subbiah, V. R., Ravichandran, P., Krishnan, S., Samson, N. P., Azhakanandam, K. & Narasimhan, D.: Eragrostis dayanandanii – a new grass from Tamil Nadu, India 155
Syngonium Schott 63, 65
—— *podophyllum* Schott 487
Syringa 190
Systematic studies in the Acanthaceae. Dicliptera in southern Africa, Kevin Balkwill, Fiona Getliffe Norris & Mandy-Jane Balkwill 1
Sytin, A. K. & Roskov, Yu. R.: New combinations in Northern Eurasian Leguminosae - Papilionoideae 376
Syzygium 557
—— *jambos* (L.) Alston in Trimen 496
—— *staudtii* 355, 359

Tabebuia serratifolia 544
Talbotiella Baker f. 596
Tamarindus 121
—— *indica* L. 125, 131
Tanzania: A second species of Aristogeitonia (Euphorbiaceae) for Tanzania, A. Radcliffe-Smith 799
Tapiphyllum Robyns 343, 345-351
—— sect. *Herbacea* Robyns 348
—— sect. *Lignosae* Robyns 348, 349
—— subsect. *Angustifolia* Robyns 348
—— subsect. *Latifolia* Robyns 348
—— subsect. *Longitubae* Tennant 349
—— *burnettii* Tennant 349
—— *cinerascens* (Hiern) Robyns 349, 351, 352
—— *cistifolium* (Hiern) Robyns 349, 352
—— *discolor* (De Wild.) Robyns 348, 349
—— *obtusifolium* (K. Schum.) Robyns 349
—— *parvifolium* (Sond.) Robyns 349, 350
—— *psammophilum* (K. Schum) Robyns 349
—— *rhodesiacum* (Tennant) Bridson †351, 352
—— *schliebenii* Verdc. 350
—— *velutinum* (Hiern) Robyns 346, 349
—— *verticillatum* 348
Taxonomic notes on Asiatic Chionanthus (Oleaceae), P. S. Green 765
Taxonomic problems and cytotaxonomic relationships between and within varieties of Ocimum basilicum and related species (Labiatae), A. Paton & E. Putievsky 509
Taxonomic status of three Caucasian snowdrops: Galanthus alpinus Sosn., G. bortkewitschianus Koss and G. caucasicus (Baker) Grossh., A. P. Davis, H. Mordak & S. L. Jury 741
Taylor, Nigel. *Reviewer*: Roses of Great Britain and Ireland. B.S.B.I. Handbook No. 7, by G. G. Graham & A. L. Primavesi 211
Tebbs, Barry. *Reviewer*: European Garden Flora Volume IV: Dicotyledones Part II Dilleniaceae to Leguminosae, by J. Cullen 821
Telosema 719
Tenoria arborescens (Spreng.) Spreng. 240

Ter Welle

Ter Welle, Ben J. H. *Reviewer*: Advances in Legume Systematics. Part 6. Structural Botany, by I. K. Ferguson & S. C. Tucker (Eds.) 419
Terauchia Nakai 678
Terminalia 313, 408, 529, 531, 534, 539
—— *eriostachya* 483, 496, 501
Thecacoris 330, 331
—— *bussei* (Pax) Radcl.-Sm. †330
Thelionema R. J. F. Hend. 677
Thelypteris hispidula (Decne.) Reed var. *versicolor* (R. P. St. John in Small) Lellinger 485
Themeda 534
Theophrastaceae 493
Thevetia peruviana (Pers.) K. Schum. 499
Thomas, S. & Cribb, P. J.: New species of Habenaria (Orchidaceae) from Ethiopia 145
Thomas, Sarah. *Reviewer*: Illustrated survey of Orchid genera, by Tom Sheehan & Marion Sheehan 426
Thottea abrahamii a new species of Aristolochiaceae from Peninsular India, Mathew Dan, P. J. Mathew, C. M. Unnithan & P. Pushpangadan 179
Thottea abrahamii M. Dan, P. J. Mathew, C. M. Unnithan & P. Pushpangadan †179, *180, 181
—— *dependens* Klotzsch 181
—— *dinghouii* Swarupan. 179, 181
—— *grandiflora* Rottb. 181
—— *tricornis* Maingay 181
Thysanotus R. Br. 670, 671, 676
—— *manglesianus* 669, *673
—— *spinigera* 669
Tilia 190
Tillandsia circinnata Schltdl. 486
—— *paucifolia* Baker 486
Tolmachev, A. L. (Russian Ed.), Packer, J. G. (English Ed.) & Griffiths, G. C. D. (Translator): Flora of the Russian Arctic. Volume 1 Polypodiaceae - Gramineae (Notice) 833
Toxocarpus Wight & Arn. 712
—— *eriocarpus* Hook. f. 463, 464
Trachelospermum 455
—— *navaillei* Lév. 476, 477
Trachylobium 304
Trichilia hirta 544
Trichopetalum Lindl. 670, 671, 676
Trichophaea Boud. 385
—— *brunnea* (Alb. & Schwein.) L. R. Batra 387
—— *saccata* (H. C. Evans) Korf 385
Trichosandra Decne. 712
Tricoryne R. Br. 671, 677, 678
Trigona sensu lato 690
—— sp. *684, 685, 687, *689
Trigonini 685, 688, 690
Tropidia polystachya (Sw.) Ames 487
Tsuga 188
Tuley, Paul: Palms of Africa (Rev.) 621
Turnera triglandulosa Millsp. 492
—— *ulmifolia* 492
Turneraceae 492
Turraea L. 716
—— *africana* (Welw.) Cheek 716
—— *alata* (Wight & Arn.) Cheek 716
—— *leroyana* Cheek 716
—— *streyi* F. White & Styles 716
—— *virens* L. 716
Two new species of Acacia (Leguminosae - Mimosoideae) from Brazil, G. P. Lewis 371

Tylophora

Tylophora: A new species of Tylophora (Asclepiadaceae) from West Tropical Africa, Ulrich Meve 585
Tylophora R. Br. 585, 586, 588
—— *anomala* N. E. Br. 588
—— *bilobata* P. I. Forst. 588
—— *coddii* Bullock 586
—— *congolana* (Baill.) Bullock 586
—— *cordifolia* Thwaites 588
—— *fleckii* (Schltr.) N. E. Br. 586
—— *inhambanensis* Schltr. 588
—— *urceolata* Meve †585, *587, 588
Tylophoropsis 588
Tympanis: Notes on British species of Tympanis (Leotiales) with T. prunicola new to Britain, Y.-J. Yao & B. M. Spooner 187
Tympanis Tode 187, 188, 190
—— *alnea* (Pers.) Fr. 188, *189, 190
—— *alpina* Ouell. & Piroz. 190
—— *confusa* Nyl. 190
—— *conspersa* (Fr.) Fr. 188, *189, 190
—— *fasciculata* Schwein. 189, 190
—— *grovesii* Ouell. & Piroz. 189
—— *heteromorpha* Ouell. & Piroz. 190
—— *hypopodia* Nyl. 190
—— *laricina* (Fuckel) Sacc. 190
—— *ligustri* Tul. & C. Tul. 190
—— *prunicola* J. W. Groves †187, 188, *189, 190
—— *rhabdospora* Berk. & M. A. Curtis 189
—— *sorbi* J. W. Groves 188
—— *spermatiospora* (Nyl.) Nyl. 189, 190
—— *truncatula* (Pers.) Rehm. 188

Unnithan, C. M., Dan, Mathew, Mathew, P. J. & Pushpangadan, P.: Thottea abrahamii a new species of Aristolochiaceae from Peninsular India 179
Urceola javanica (Blume) Boerl. 481
Uropetalon Ker. Gawl. 803
Utricularia: First record of the American Utricularia juncea from Africa, S. Dörrstock, R. Seine, S. Porembski & W. Barthlott 579
Utricularia L. 579, 580, 582
—— sect. *Stomoisia* (Raf.) Kuntze 580
—— *arenaria* A. DC. 580
—— *benjaminiana* Oliv. 582
—— *cornuta* Michx. 580, 582
—— *foliosa* L. 582
—— *juncea* Vahl †579, 580, *581, 582, 583
—— *livida* E. Mey. 582
—— *micropetala* Sm. 580
—— *prehensilis* E. Mey. 580
—— *pubescens* Sm. 580
—— *simulans* Pilg. 582
—— *spiralis* Sm. 580
—— *subulata* L. 580
—— *tortilis* Welw. ex Oliv. 580
Uvulariaceae 676

van der Cingel, N. A.: Atlas of Orchid Pollination: European Orchids (Rev.) 826
Van Dzu, Nguyen & Boyce, Peter C.: Pothos grandis (Araceae) – Corrections 392
Van Wyk, B.-E., Viljoen, A. M. & Dagne, E.: The chemotaxonomic value of 10-hydroxyaloin B and its derivatives in Aloe series Asperifoliae Berger 159

Van Wyk

Van Wyk, B.-E. & Winter, P. J. D.: A revision of the genus Heteromorpha (Apiaceae) 225
Vancouveria 402
Vangueria 343, 345, 347, 348, 350
—— subgen. *Itigi* Verdc. 350
—— sect. *Edules* Robyns 350
—— sect. *Infausta* Robyns 350
Vangueriopsis 345
—— *lancifolia* (Hiern) Robyns 345
Vázquez G., J. Antonio, Ramón Cuevas, G., Cochrane, Theodore S., Iltis, Hugh H., Santana M., Francisco J. & Guzmán H., Luis: Flora de Manantlán, Sida Botanical Miscellany 13 (Rev.) 828
Vellozia 448
Venezuela: Flower morphology and pollination biology of Clusia species from the Gran Sabana (Venezuela), V. Bittrich & Maria C. E. Amaral 681
Verbenaceae 501
Verdcourt, B.: A reappraisal of the Grevea (Montiniaceae) growing on the Kenyan coast 821
Verdcourt, B. *Reviewer*: Die natürlichen Pflanzenfamilien ed. 2. band 17a IV Angiospermae: Ordnung Ranunculales Fam. Ranunculaceae, by P. Hiepko (Ed.), M. Tamura, H. Tobe, J. W. Nowicke, J. J. Skvarla, O. Pellmyr & R. Hegnauer (Authors) 419
Verdcourt, B., Friis, I. & Vollesen, K.: New combinations in African Sapindaceae 802
Verdcourt, B. & Pasquet, R.: The identity of Dolichos ufiomensis Heering (Leguminosae - Papilionoideae - Phaseoleae) 332
Verdickia De Wild. 670
Viburnum 189, 190
Viljoen, A. M., Van Wyk, B.-E. & Dagne, E.: The chemotaxonomic value of 10-hydroxyaloin B and its derivatives in Aloe series Asperifoliae Berger 159
Vincetoxicum hirundinaria Medik. 697, 706
Viscaceae 497
Vitaceae 498
Vollesen, K., Friis, I. & Verdcourt, B.: New combinations in African Sapindaceae 802
Voyria parasitica (Schltdl. & Cham.) Ruyters & Maas 499

Watling, Roy. *Reviewer*: Fungi of South East England, by R. W. G. Dennis 210
Way, Michael. *Reviewer*: Flora de Manantlán, Sida Botanical Miscellany 13, by J. Antonio Vázquez G., G. Ramón Cuevas, Theodore S. Cochrane, Hugh H. Iltis, Francisco J. Santana M. & Luis Guzmán H. 828
West Africa: New species and records of Orchidaceae from West Africa, P. J. Cribb 353
White, James J., Farole, Autumn M. & Tomasic, Sharon M.: 8th International Exhibition of Botanical Art & Illustration (Notice) 833
White, James J. (Compiler) & Smith, Elizabeth R. (Assistant Compiler): Catalogue of the Botanical Art Collection at the Hunt Institute. Part 6, Plant Portraits, Artists T - Z and Unknown (Notice) 431

Whitmore

Whitmore, T. C. *Reviewer*: Flora Malesiana Series 1 – Spermatophyta Volume 12 – part 1, 1995 Meliaceae, by D. J. Mabberley, C. M. Pannell & A. M. Sing 421
Widdringtonia whytei 448
Williamson, G.: A new species of Angraecum (Orchidaceae) from South Central Africa 557
Winter, P. J. D. & Van Wyk, B.-E.: A revision of the genus Heteromorpha (Apiaceae) 225
Woodgyer, E. M., Baumgratz, J. F. A., Souza, M. L. D. R. & Nic Lughadha, E. M.: Polysporangiate anthers: described for the first time in Melastomataceae 133

Xanthorrhoeaceae 671
Xanthosoma Schott 63
Xerolirion A. S. George 670, 671
Xeronema 677
Xerophyta 325, 577
Xia, N. H.: A study of the genus Bonia (Gramineae : Bambusoideae) 565
Xue, Jia-Rong, Li, Dhe-Zu & Stapleton, C. M. A.: A new combination in Ampelocalamus and notes on A. patellaris (Gramineae: Bambusoideae) 809
Xylocopa 689, 691
Xylopia aromatica (Lam.) Mart. 683
Xyris straminea L. A. Nilsson 580

Yakovlev, G. P., Sytin, A. K. & Roskov, Yu. R.: Legumes of Northern Eurasia. A checklist. (Rev.) 622
Yao, Y.-J. & Spooner, B. M.: Geopora sepulta (Pezizales) in Britain, with a key to British species of the genus 381
Yao, Y.-J. & Spooner, B. M.: Notes on British Octosporella with a new genus, Filicupula (Pezizales) 196
Yao, Y.-J. & Spooner, B. M.: Notes on British species of Tympanis (Leotiales) with T. prunicola new to Britain 187
Yao, Y.-J. & Spooner, B. M.: Notes on Sphaerosporella (Pezizales), with reference to British records 385
Youngia japonica (L.) DC. 504
Yushania 565, 810

Zamia integrifolia L. f. ex Aiton 485
—— *pumila* L. 485
Zamiaceae 485
Zappi, Daniela & Ezcurra, Cecilia: Ruellia verbasciformis, a new combination in the genus Ruellia (Acanthaceae) 819
Zenkerella Taub. 596
—— *capparidacea* (Taub.) J. Léonard 130
Ziziphus: A new species of Ziziphus (Rhamnaceae) from Kenya, H. J. Beentje 197
Ziziphus 197, 199
—— *mucronata* var. *mucronata* 199
—— *pubescens* 197, 199
—— —— subsp. *glabra* 199
—— *robertsoniana* Beentje †197, *198, 199
Zornia 328
Zosteraceae 486

INTERNATIONAL
MYCOLOGICAL INSTITUTE
LIBRARY

16 FEB 1998